

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number	
County: Jewell		1/4 SW 1/4 NW 1/4	4		T 5 S		R 6 E	
Distance and direction from nearest town or city street address of well if located within city?								
2 WATER WELL OWNER: Brad Barrett								
RR#, St. Address, Box # : Rt 2 Box 47A					Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Randall, KS 666963					Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 50 ft. ELEVATION:						
<div><div><div>N</div><div>-NW- -NE-</div><div>W X E</div><div>-SW- -SE-</div><div>S</div></div></div>		<div>Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.</div> <div>WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr</div> <div>Pump test data: Well water was air lift ft. after hours pumping gpm</div> <div>Est. Yield 30+ gpm: Well water was ft. after hours pumping gpm</div> <div>WELL WATER TO BE USED AS:</div> <div><div>1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well</div><div>2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)</div><div>7 Domestic (lawn & garden) 10 Monitoring well</div></div> <div>Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted</div> <div>Water Well Disinfected? Yes No</div>						
5 TYPE OF BLANK CASING USED:								
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile			CASING JOINTS: Glued X Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)			Welded					
5 Wrought iron 8 Concrete tile			Threaded					
Blank casing diameter 5 in. to 25 ft. Dia 5 in. to 50 ft. Dia			in. to ft.					
Casing height above land surface 12 in., weight			lbs./ft. Wall thickness or gauge No. 214					
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement			11 Other (Specify) 12 None used (open hole)					
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)			9 Drilled holes					
2 Louvered shutter 4 Key punched 6 Wire wrapped 10 Other (specify) ft.			7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From 15 ft. to 50 ft. From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 5 ft. to 15 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well			11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)			13 Insecticide storage none known					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			How many feet?					
Direction from well?								
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0 20 Topsoil & Clay								
20 28 Clay & Broken Rock								
28 38 Clay								
38 43 Loose Broken Rock & Clay								
43 48 Clay								
48 50 Gray Shale								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/31/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 741 This Water Well Record was completed on (mo/day/yr) 5/12/05 under the business name of Watson Well Drilling by (signature) Eddie Watson								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								