WATER WELL RECORD	Form WWC-5	Division of Water	er Resources; App. No.	
1 LOCATION OF WATER WELL: County: Loud	Fraction SW4NW4SE	Section Number	T 6 S	R
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)				
located within city? From Ames - 2 South - 23/4 m, L Latitude: 39,543083				
2 WATER WELL OWNER: Charlie Cyr Elevation:				
RR#, St. Address, Box # : 2845	PlumRoad	Elevation: Datum:		
C' C G TID C 1		Data Collection	Mathad:	
3 LOCATE WELL'S 4 DEPTH OF C	K5 44938 COMPLETED WELL	ft		
LOCATION 4 DEI 111 OF C	OMILETED WELL	,	•	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. (4) ft. (5) ft. below land surface measured on mo/day/yr?				
N Pump test data: Well water wasft. after hours pumping				
Est. Yieldgpm: Well water wasft. afterhours pumpinggpm				
WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply Domestic 3 Feedlot 6 Oil field water supply Domestic 3 Feedlot 6 Oil field water supply Domestic 3 Feedlot 6 Oil field water supply Representation of the public water supply Represe				
W Domestic 3 Feedlot 6 Off field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well				
Sample was submitted				
S				
5 TYPE OF CASING USED: 5 Wro 1 Steel 3 RMP (SR) 6 Asb	ought Iron 8 Concrete	ile CASIN	G JOINTS: Glued.	Clamped
· · · · · · · · · · · · · · · · · · ·	estos-Cement 9 Other (spe	cify below)	Welded	
Displaying diameter 7 Fibe	erglass	in to ft	Diameter Inreaded	in to
Blank casing diameter				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel 3 Stainless Steel 5 Fiberglass OVC 9 ABS 11 Other (Specify)				
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From3.0 ft. to				
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From				
What is the nearest source of possible conta	mination:			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify				
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well				
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?				
		OM TO	PLUGGING INT	
0 2 Top 5011				
2 15 Tan Clay				
15 37 Readish Cla	a M			
37 45 Sand Stone -	IClay Mix			
45 102 Sand Stane				
102 105 Gray Clay				
105 120 Shalle				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged				
under my jurisdiction and was completed on (mo/day/year) 1 and this record is frue to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No				
under the business name of Williams Drilling Co Inc by (signature) of Williams				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PREAS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone				
Three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 60012-1507. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at				
http://www.kdhe.state.ks.us/geo/waterwells.				