WATER WELL RECORD			Form W	WC-5	Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Cloud			Fraction 1/4 NW 1/4 SW	1/4 SW 1/4			Township No.	Range Number R ☐E K W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
		own or intersection: If at o						(in decimal degrees)	
1-3/4 mile South of Ames, KS						Longitude: (in decimal degrees)			
					Eleva	atio <u>n:</u>	<u></u>		
2 WA	TED W	ELL OWNER: To	m Koch				4, □ NAD 83, □] NAD 27	
			530 N. 260th			ction Method:	ro/Modeli)	
		•	Lyde, KS 66938		H	Ors unit (Mar Digital Man/Ph	oto 🎞 Topograph	ic Map, Land Survey	
City,	, 5000, 2	. C	race, va 00330		Est. A	Accuracy: \square <	3 m, 3-5 m,] 5-15 m,	
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL1.33									
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)								
WELL'S STATIC WATER LEVEL75ft. below land surface measured on mo/day/yr8/15/12									
				st data: Well water wasft. after hours pumping gpr -125m. Well water wasft. after hours pumping gpn					
NW NE									
W E Bore Hole Diameter9									
The Development of Consider the Consideration of th									
SW SE Domestic Feediot On field water supply Dewatering Other (specify below) Trigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes X No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Proces ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot 👿 Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
Grout Intervals: From									
What is the nearest source of possible contamination:									
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well . West. ☐ Distance from well . 75									
FROM	TO	n well wes.t LITHOLOG		FROM	TO TO			JGGING INTERVALS	
0	2	Topsoil	IC LOO	I KOWI	10	LITTIO. D	oo (conc.) or 1 D	COULD HAITKAVED	
2	22	Clay w/sandstone	streaks						
22	45	Shale							
45	60	Sandstone w/shale	layers						
60	70	Shale							
70	109	Sandstone, dirty	w/shale streaks						
109	116	Sandstone, coarse							
116	140	Sandstone & shale	layers						
140	160	Shale							
					····	<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, \Box reconstructed, or \Box plugged									
under my jurisdiction and was completed on (mo/day/year) 8/15/12 and this record is true to the best of my howledge and belief.									
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (200/149/yell) 8/23/12									
under the business name of Peterson. Irrigation. Inc. by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									
NSA 82a	-1212								