WATER WELL R	ECORD	Form WW	<b>C-5</b>	Division of Wate	r Resources App. N	0	
1 LOCATION OF V		Fraction SW ¼ NE ¼ NW	4 NW 1/4	Section Number 16		Range Number R 10 ☐E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:  Latitude:39,537.522			
from nearest town or intersection: If at owner's address, check here .				Longitude: 98.448448 (in decimal degrees)			
				Elevation: 1514 ft			
2 WATER WELL OWNER: Stan Stone				Datum: WGS 84, NAD 83, NAD 27			
, Juli Storie				Collection Method:   GPS unit (Make/Model:)			
av. av. av. av. av.				Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Co	Cawker	City, Kansas 67430		Est. Accuracy:	3 m. $\square$ 3-5 m.	l 5-15 m. □>15 m	
3 LOCATE WELL						<u> </u>	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WELL.	. 39	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
N	Depth(s) Groundwater Encountered (1)						
X	Pump test data: Well water wasft. after hours pumping gpm						
	TOT VIELD 15 Well system was 9 after house number of grown						
w NW NE	Bore Hole Diameter .9in. to43ft., andin. toft.						
<b>W</b>	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Demostic D Feedlet D Oil field water cumby Dewatering Dother (Specify below)							
SW SE	SW SE Domestic Preduct Domestic Dome						
Was a chemical/bacteriological sample submitted to Department?   Yes   No							
S If yes, mo/day/yr sample was submitted							
water with distinct ed. (g) 165 [] 140							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter 5 in to 20 ft. Diameter in to ft. Diameter in to ft. Diameter in to ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From 20 ft. to .39 ft., From ft. to							
From							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From .0 ft. to .20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
	ı None within 1/4 n			rom well			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 1 Top	soil					· ·	
1 17 Clay	y, brown						
17   36   Lime	estone gravel- loose	8	l				
36 43 Sha	ile, gray						
			<del></del>				
					· · · · · · · · · · · · · · · · · · ·		
					<del></del>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗆 plugged							
under my jurisdiction and was completed on (mo/day/year) .4/22/2015 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name of Peterson McNett Drilling. Inc. by (signature) of Muland							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html