KOLAR Document ID: 1587169

	WELL R			WWC-5		vision of Wate						
		Correction		ge in Well Use		ources App. N	1		Well ID			
			Fraction				nship Numb		ige Number			
County: $\frac{1}{4}$ $\frac{1}{4}$						1 4 1 1						
						treet or Rural Address where well is located (if unknown, distance and						
Address: di						irection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:		-	State:	ZIP:		<u> </u>						
3 LOCAT	ft	5 Latit	udo.			(decimal degrees)						
	WITH "A" IN Dopth(a) Groundwater En				ncountered: 1) ft.			5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
) ft., or 4) 🗌 Dry Well			Datum: WGS 84 NAD 83 NAD 27				
1	`		ELL'S STATIC WATER LEVEL: ft.				Source for Latitude/Longitude:					
			below land surface, measured on (mo-day-yr))		
NW	NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.									
				hours pumping			Land Survey Topographic Map					
W	E after			Well water was ft.			Online Mapper:					
SW	SE	after		s pumping								
				Yield:gpm			6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map					
1 r				••••••	•••••							
7 WELL WATER TO BE USED AS:												
1. Domestic:						10. ☐ Oil Field Water Supply: lease 11. Test Hole: well ID						
			 6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID 				\Box Cased \Box Uncased \Box Geotechnical					
			g: well ID			12. Geothermal: how many bores?						
	2. \Box Irrigation 9. Environmental Remediation: well						a) Closed Loop 🗌 Horizontal 🗌 Vertical					
3. 🗌 Feedlot 🗌 Air Sparge					Extraction b) Open Loop 🗌 Surface Discha							
4. 🗌 Industr	rial		Recovery	Injection		13. 🗌 Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
							•••••	. ft. to	ft.			
Nearest sou		e contaminati	on: No Lateral Line	o potential source of cor es		thin 200 ft. Livestock Pe		🗖 Inconti	ida Staraga			
			Cess Pool	\square Fit Fit y \square Sewage La		Fuel Storage			cide Storage			
	ight Sewer Lir			☐ Feedyard		Fertilizer Sto			ll/Gas Well	Well		
□ Other (Specify)												
Direction fro				Distance from w	vell?							
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LITHO. LO	OG (cont.) or	PLUGGIN	G INTERVALS		
						├ ───┤						
	<u>├</u>											
					Notes:							
					10003.							
	+				-							
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record i	is true to th	ne best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Red	cord was cor	npleted on	(mo-day-ye	ear)			
under the b	usiness name	ot		ELL OWNER and retain	ono for vera -	orda Eas -f #5	5 00 for a1			<u></u>		
KS Departr										2785-296-3565.		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212.											