DicATION OF WATER WELL: Fraction SE y
Distance and direction from nearest town or city street address of well if located within city? Nof Clark & Commercial Streets, Downs, KS. Latitude N 39.50206° Longitude W 98.53996° 2 WATER WELL OWNER: United Agri Products, Inc. RR#, St. Address, Box #: 7251 West 4 th Street City, State, ZIP Code
Nof Clark & Commercial Streets, Downs, KS. Latitude N 39.50206° Longitude W 98.53996° WATER WELL OWNER: United Agri Products, Inc. RR#, St. Address, Box # 7251 West 4th Street Greeley, CO 80634 Board of Agriculture, Division of Water Reson Application Number: Not Applicable Application Number: Not Application Number: Not Applicable Application Number: Not Appl
WATER WELL OWNER: United Agri Products, Inc. RR#, St. Address, Box # : 7251 West 4 th Street City, State, ZIP Code : Greeley, CO 80634
RR#, St. Address, Box # : 7251 West 4 th Street Greeley, CO 80634 DEPTH OF COMPLETED WELL 32.9 ft. ELEVATION: Unknown
RR#, St. Address, Box # : 7251 West 4 th Street Greeley, CO 80634 DEPTH OF COMPLETED WELL 32.9 ft. ELEVATION: Unknown
City, State, ZIP Code : Greeley, CO 80634 3 COATE WELL'S LOCATON WITH AN "X" IN SECTION BOX: N Depth OF COMPLETED WELL Depth (s) Groundwater Encountered 1 29 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL Unk. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sampler submitted water well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Type OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 29 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL Unk. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Shark casing diameter 2 in. to 22.5 ft. Dia in. to 10 Monitoring well TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
WELL'S STATIC WATER LEVEL WELL'S STATIC WATER LEVEL Pump test data: Well water was Est. Yield Bore Hole Diameter Well water Was In to 32.9 If t. and In to Well water supply I Domestic 3 Feed lot 6 Oil field water supply I Domestic 3 Feed lot 6 Oil field water supply I Domestic 3 Feed lot 6 Oil field water supply I Domestic 3 Feed lot 6 Oil field water supply I Domestic 3 Feed lot 6 Oil field water supply I Steel 3 RMP (SR) If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was believe to Department? Yes No X If yes, mo/day/yr sample water was bel
WELL'S STATIC WATER LEVEL WELL'S STATIC WATER LEVEL Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) Was a chemical/bacteriological sample submitted to Department? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile Water Well Disinfected? Yes No X Statel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Threaded Threaded Threaded Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
WELL'S STATIC WATER LEVEL WELL'S STATIC WATER LEVEL Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) Was a chemical/bacteriological sample submitted to Department? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile Water Well Disinfected? Yes No X Statel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Threaded Threaded Threaded Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was a chemi
Pump test data: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be submitted to Department? Yes No X If yes, mo/day/yr sample water was guided to Department? Yes No X If yes, mo/day/yr sample water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample water was ft. after hours pumping in. to well water supply 9 Dewatering 12 Other (Specify be water supply 9 Dewatering 12 Other (Specify be water well Disinfected? Yes No X If yes, mo/day/yr sample water was ft. after hours pumping in. to well water was ft. after hours pumping in. to Well water was ft. after hours pumping in. to Other (Specify be water supply 9 Dewatering 12 Other (Specify be water supply 9 Dewateri
Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Bank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 Ibs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Bore Hole Diameter 8 in. to 32.9 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample water well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 Ibs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was ubmitted to Department? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to to the casing height above land surface 0 in., weight 0.682 Ibs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was ubmitted water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to to the casing height above land surface 0 in., weight 0.682 Ibs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was ubmitted water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to to the casing height above land surface 0 in., weight 0.682 Ibs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample of submitted water Well Disinfected? Yes No X No X Submitted water Well Disinfected? Yes No X No X Submitted water Well Disinfected? Yes No X No X Submitted water Well Disinfected? Yes No X No X Submitted water Well Disinfected? Yes No X No X Submitted water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Well Disinfected? Yes No X Submitted to Person Water Wa
submitted Submitted Submitted Water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: Steel 3 RMP (SR) Absention 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Other (specify below) Welded Threaded Threaded Casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass Submitted Water Well Disinfected? Yes No X Casing trype of BLANK CASING USED: Other (specify below) Welded Threaded In. to ft., Dia in. to casing the in. to ft., Dia in
submitted Submitted Submitted Water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: Steel 3 RMP (SR) Absention 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Other (specify below) Welded Threaded Threaded Casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass Submitted Water Well Disinfected? Yes No X Casing trype of BLANK CASING USED: Other (specify below) Welded Threaded In. to ft., Dia in. to casing the in. to ft., Dia in
TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Blank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Blank casing diameter 2 in. to 22.5 ft., Dia in. to ft., Dia in. to Casing height above land surface 0 in., weight 0.682 lbs./ft. Wall thickness or gauge No. 0.1875 in TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
Casing height above land surface U in., weight U.682 lbs./ft. Wall thickness or gauge No. U.1875 In TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPE <u>NIN</u> GS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open ho
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 22.5 ft. to 32.9 ft. From ft. to
From ft. to ft. From ft. to
From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From 20.5 ft. to 32.9 ft. From ft. to
From ft. to ft. From ft. to
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals From 1 ft. to 20.5 ft. From ft. to ft. From ft. to
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well? north How many feet? approximately 40 feet
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 0.5 17 Silty sand and gravel (fill)
0.5 11 02 Brown silt
11 15 01 Light brown clay with silt
15 19 02 Brown silt with clay
19 30 01 Brown, lean clay with silt
30 32.9 07 Fine sand, trace silt
OU DENT OF HINC SAIRE, HACE SIRE
42/4/07
completed on (mo/day/yr) 12/4/07 and this record is true to the best of my knowledge and belief. Kan
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and completed on (mo/day/yr) 12/4/07 and this record is true to the best of my knowledge and belief. Kan Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/yr) 1/9/0 under the business name of Thiele Geotech, Inc. by (signature)