WATE	R WELL	RECORD	Form WWC	- <b>5</b>	Division of Wa	iter Resou	rces: App. No.	
1 LOCA	ATION OF	WATER WELL:	Fraction		Section Nu	ımber	Township Number	Range Number
County:	ond direction	Sborne from pagrage town	NW /4 SW /4	NW 1/4	Clahal Davi		T 6 S	R 11 W
County: Osborne NW 4 SW 4 NW 4 27 T 6 S R 11 W  Distance and direction from nearest town or city street address of well if located within city? 919 Morgan St., Downs, KS  Latitude: N 39.50434°								
Longitude: W 98.54391 °								
2 WATER WELL OWNER: Bob's Inc.					Elevation: RIM: 1484.02; TOC: 1483.77			
RR#, 9	St. Address,	Box # : 268 W	Hwy 24 , KS 67437		Datum:	above	mean sea level	
City, S	State, ZIP Co	ode : Downs	, KS 67437		Data Colle			/
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 32 ft.								
1	ATON				MW6			
	I AN "X" I	N Depth(s) Groun	ndwater Encountered 1			_ ft. 2	ft. 3	ft.
SECT	ION BOX:	WELL'S STA	TIC WATER LEVEL	26.36	ft. below lar	nd surfac	e measured on mo/	day/yr 5/20/09
N Pump test data: Well water was ft. after hours pumping gpm								
Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
XNV	V	WELL WATE	R TO BE USED AS:	5 Public	water supply	8 Air	conditioning 11	Injection well
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
		2 irrigation 4	industriai / Domesti	ic (lawn 8	garden) ų	O)Monite	oring well	
SW——SE—— Was a shamisal/hastarial agisal sample submitted to Denormant? Vac.								
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs								
S Sample was submitted Water Well Disinfected? Yes No X  5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
5 TYPE	OF CASIN	NG USED: 5	Wrought Iron	8 Conc	rete tile	CASIN	NG JOINTS: Glue	d Clamped
1 Steel 3 RMP (SR) 6 Ashestos-Cement 9 Other (specify helow) Welded								
(2) PVC 4 ABS 7 Fiberglass Threaded X								
2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 17 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.25 ft., Weight lbs./ft. Wall thickness or gauge No.								
Casing height below land surface 0.25 ft., Weight lbs./ft. Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 17 ft. to 32 ft. From ft. to ft.								
SCREEN-	-PERFORA	TED INTERVALS:	From 17	ft. to	32	ft. From	n ft.	to ft.
			From	ft. to		ft. From	m ft.	to ft.
GR	LAVEL PAC	CK INTERVALS:	From 15	ft. to	32	ft. From	n ft.	to ft.
		;	From	ft. to		ft. Fror	n ft.	to ft.
From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 15 ft. to 32 ft. From ft. to ft. From ft. The first ft. From ft. From ft. The first ft. From								
Grout Intervals From 2 ft. to 15 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
	ver lines	5 Cess pool		(1) Fuel			doned water well	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well								
Direction from well? Northwest How many feet? ~75ft								
FROM	TO	LITHO	LOGIC LOG	FRO	м то		PLUGGING INT	ERVALS
0	1		wn sandy clay with					
		fine limestone grav						
1	5	Dark brown silty of	lay, moderate					
		plasticity, moist						77.
5	20	Brown silty clay, lo	ow to moderate					
20	25	plasticity, moist	ith fine grained sand					
40	25	low to moderate pl		•				
25	35	Brown fine to med				Flushmo	ount waiver from	BOW
		some clay, wet	g. a.i.ve sand,				7,41,701 7,011	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 5/19/09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 7/28/09								
under the business name of Larsen & Associates, Inc. by (signature)  INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water.								
INSTRUCT	TIONS: Please	fill in blanks or circle th	e correct answers. Send tor	three copie	s to Kansas De	partment of	Health and Environme	nt. Bureau of Water.
Geology Section, 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.								