WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: OSBORNE		Fraction 1/4 NW 1/4 NW			n Number 23	T 6 S		
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude:			
1 MILE EAST AND 1 MILE NORTH OF DOWNS				Longit	Longitude: (in decimal degrees) Elevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Michael & Kathleen Slipke Trust				Collect	Collection Method:			
RR#, Street Address, City, State, ZIP Code	untv 691 Ave	☐ GPS unit (Make/Model:						
City, State, Zir Code	· Cawker	City KS 67430		Est. Ac	лднаг мар/Рл ccuracy: П <	10to, ∐ 1 opograpni 3 m	5-15 m,	
3 LOCATE WELL						<u> </u>	15 15 III,1- 15 III	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 52		ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1).40							
<u>                                   </u>	Pump test data: Well water was							
NW NE	gpm. Well water wasft. after hours pumpinggpm							
W E	eter 10 in. to .52 ft., and in. toft.							
	TO BE USED AS:	] Public wa	ter supply	y 🗌 Ge	othermal 🔲 🛚	Injection well		
SW SE Domestic							Other (Specify below)	
							•••••••	
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded								
Casing diameter 5 in. to 52 ft., Diameter in. to ft. Diameter in. to ft.								
Casing height above land surface!9in., Weight 199lbs./ft., Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)								
☐ Steel     ☐ Stainless Steel     ☐ PVC     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter								
Fromft. toft. Fromft. toft. fr								
GRAVEL PACK INTERVALS: From							to ft.	
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From .26 ft to ft From ft								
Grout Intervals: From .26								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Direction from well			Fertilizer s		☐ Oil well/ga			
FROM TO	LITHOLOG		FROM	TO TO			UGGING INTERVALS	
	ACE CLAY				22.11.0.15	= = (= onin) <u>or</u> i be		
10 30 HARD	YELLOW CLAY							
30 35 MED S								
	O LARGE SANI	)						
45 50 MED S								
50 52 BLUE	SHALE							
					CTANONIA MARINA			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .101410 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 444 This Water Well Record was completed on (mo/day/year) 10-14-10								
under the business name of .ANDY ANDERSON DRILLING by (signature)								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .								
KSA 82a-1212	on maca hum.		***************************************	Ch	eck: X w/	hite Copy, 🔲 Bl	ue Copy, Pink Copy	
				On	15 M	Сору, 🗀 Бі	cop, rink copy	