

WATER WELL R		VV VV C-3			ion of Water		W 11 ID			
		ge in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1		
1 LOCATION OF WA	Fraction		Section	on Number	Township Numb		ige Number			
County:		4 1/4	D1	1 A 1 1 1	T S	R	□E □W			
2 WELL OWNER: La Business:	st Name:	First:								
Address:	direction from nearest town or intersection): If at owner's address, check here:							ineck nere:		
Address:										
City:	State:	ZIP:								
3 LOCATE WELL	4 DEPTH OF COM	(PI FTFD WFI I •		ft	5 Letitud	··		(daaimal daamaa)		
WITH "X" IN	Depth(s) Groundwater		8							
SECTION BOX:	2) ft. 3) ft., or 4)									
IN .	WELL'S STATIC WATER LEVEL:									
	□ below land surface, measured on (mo-day-yr				······ GPS (unit make/model:)					
NW NE	NE - above land surface, measured on (mo-day-yr)				(11 11 11 11 11 11 11 11 11 11 11 11 11					
1 1 1 1 1 1	Pump test data: Well w		☐ Land Survey ☐ Topographic Map							
W E	after hours Well w			Online Mapper:						
SW   SE	after hours									
	Estimated Yield:gpm			<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC						
S	Bore Hole Diameter:	ft. and								
mile		ft.		Other						
7 WELL WATER TO BE USED AS:										
1. Domestic:		ter Supply: well ID				ield Water Supply: 1				
Household	6. Dewaterin									
☐ Lawn & Garden ☐ Livestock	7. ☐ Aquifer Ro 8. ☐ Monitorin									
2. ☐ Irrigation	9. Environmenta									
3. ☐ Feedlot	☐ Air Sparge	Extraction		a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water						
4. ☐ Industrial	☐ Recovery					(specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
Water well disinfected?  \[ Yes \] No										
8 TYPE OF CASING USED:  Steel PVC Other										
Casing diameter in. to										
Casing height above land surface in. Weightlbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot     ☐ Mill Slot     ☐ Gauze Wrapped     ☐ Torch Cut     ☐ Drilled Holes     ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank	□ Lateral Line				ivestock Pens		cide Storage			
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
□ Watertight Sewer Lines       □ Seepage Pit       □ Feedyard       □ Fertilizer Storage       □ Oil Well/Gas Well         □ Other (Specify)       □ Oil Well/Gas Well										
Direction from well?		Distance from a	 well?			ft				
10 FROM TO	LITHOLOG		FRON			THO. LOG (cont.) o		GINTERVALS		
10 111011	2111020	310 200	11101	·-	10 2	1110, 200 (60111)	- TEC COII (	O II ( I ZII ( I I I Z		
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATIO	N: This w	vater v	well was 🔲	constructed, $\square$ reco	onstructed,	or plugged		
under my jurisdiction and was completed on (mo-day-year)										
under the husiness name	of	1 IIIS W	aici Well	NCCOL	iu was comp	u on (mo-day-y	cai)			
under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html