			Form WWC-5				ources App.			
1 LOCA County: SI		WATER WELL:	Fraction  4 NW 4 NE 4	SW 1/4	ection N	lumber	Township	Number 6 s	Range Number R 29 □E ⊠W	
County: Sheridan   1/4 NW 1/4 NE 1/4 SW 1/4   SW 1/4									nation:	
from nearest town or intersection: If at owner's address, check here $\square$ .						Latitude: (in decimal degrees)				
						Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: Brice Meitl						<u>Datum</u> : □ WGS 84, □ NAD 83, □ NAD 27				
RR#, St. Address, Box # : 1649 CLN					Collection Method:					
City, State, ZIP Code : Dresden, KS 67635					☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
					Digital Map/Photo, U Topographic Map, U Land Survey					
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m										
3 LOCATE WELL										
i .	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 175 ft.									
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)									
	N	WELL'S STATI	WELL'S STATIC WATER LEVEL <b>NA</b> ft. below land surface measured on mo/day/yr							
		Pum	Pump test data: Well water was ft. after hours pumping gpm							
⊢n'w	NW NE EST. YIELD gpm: Well water was ft. after hours pumping								ng gpm	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									ion well	
w	(	E Domestic	Feedlot Oil field w	ater supply	΄΄΄ [	☐ Dewate	ering	Other	(Specify below)	
			Industrial Domestic-	awn & gard	len [	☐ Monito	ring well			
SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No										
S If yes, mo/day/yr sample was submitted										
1 mile  Water Well Disinfected?   Yes   No										
5 TYPE OF CASING USED: Steel X PVC Other										
CASING JOINTS:  Glued  Clamped  Welded  Threaded										
Casing diameter 4.5 in. to 135 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No248										
Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No. 248 TYPE OF SCREEN OR PERFORATION MATERIAL:										
Stool Striplage Stool V BVC Striplage (Specific)										
□ Steel □ Statilless Steel □ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
□ Louvered shutter □ Key nunched □ Wire wrapped □ Saw cut □ Other (specify)										
SCREEN-PERFORATED INTERVALS: From 135 ft. to 175 ft., From ft. to ft.										
From ft. to ft., From ft. to ft.										
GR.	From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From <b>20</b> ft. to <b>175</b> ft., From ft. to ft.									
			From	ft. to		ft., Fr	om	ft. to	ft.	
From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
	otic tank	☐ Lateral lin		Livestock			icide storage		her (specify below)	
	wer lines	Cesspool	☐ Sewage lagoon ☐				doned water			
	tertight sewe	r lines	it ☐ Feedyard ☐	Fertilizer			ell/gas well	None	2	
Direction	n from well			Distance fr						
FROM	TO	LITHO	LOGIC LOG	FROM	TO	LITHO	. LOG (cont	.) <u>or</u> PLUG	GING INTERVALS	
0	2	Surface		130	145		med sand w/c		e lenses	
2	14	Loess		145	170		d w/clay & ca	aliche strks		
14		Clay & caliche w/sand		170	180	Yellow o	ochre			
32		Fine & med sand w/cla								
43	51	Clay & caliche w/sand								
51		Fine sand w/clay lenses						*****		
60		Fine & med sand w/clay								
73	100	Fine & med sand w/clay				-				
100	114	Fine & med sand w/clay				-				
		Fine sand w/clay 7 calid		N. This was	ter well	wae [又] ~.	onetruoted F	7 reconstru	cted or D plussed	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ⊠ constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) 11/25/09 and this record is true to the best of my knowledge and belief.										
		tractor's License No.	554 or 783 This W	Vater Well R			on (mg/c			
		of Woofter Pump		by (signatu		.s comple		.a.y/year/ 1	100,07	
								CIIW	C	
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain										
one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										