

1] LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Cloud	near 1/4 center 1/4 NW 1/4	10	T 6 S	R 3 EW

Distance and direction from nearest town or city street address of well if located within city?

1/2 mile south & 1/2 mile East of Concordia, KS (1689 N. 154th Rd)

2] WATER WELL OWNER: Tim Nicholson	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # : 719 W. 10th	
City, State, ZIP Code : Concordia, KS 66901	

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4] DEPTH OF COMPLETED WELL... 100 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL... 30 ft. below land surface measured on mo/day/yr ... 5/24/01
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 15-20 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter... 10 in. to 102 ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	<input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes. No. <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes <input checked="" type="checkbox"/> No

5] TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. <input checked="" type="checkbox"/> Clamped.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="checkbox"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 90 ft., Dia in. to ft., Dia in. to ft.			Threaded
Casing height above land surface. 12 in., weight 2.37 lbs./ft. Wall thickness or gauge No. 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="checkbox"/> PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
			11 Other (specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<input checked="" type="checkbox"/> Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 90 ft. to 100 ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From 25 ft. to 100 ft. From ft. to ft.			

6] GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="checkbox"/> Bentonite	4 Other
Grout Intervals: From 3 ft. to 25 ft., From ft. to ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	<input checked="" type="checkbox"/> Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? East				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	28	Clay, brown			
28	49	Clay, tan			
49	77	Clay, gray			
77	102	Sandstone			

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **5/25/01** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. **138** This Water Well Record was completed on (mo/day/yr) **5/30/01** under the business name of **Peterson Irrigation, Inc.** by (signature) *Mike Peterson*