WATER WI	ELL RECORD	Form W V	VC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:		Fraction		Section Number   Township No.   Range Number
County: Cloud		14 NW 14 NE	14 NE 14	· · · · · · · · · · · · · · · · · · ·
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .				Latitude:
				Longitude: (in decimal degrees)  Longitude: (in decimal degrees)
1 1/2 mile South & 1/8 Mile West of Concordia, KS				
				Elevation:
2 WATER WELL OWNER.				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: Dave Canfield				Collection Method:
RR#, Street Address, Box #: 1693 N. 160th Rd.			GPS unit (Make/Model:)	
City, State, ZIP Code : Concordia, KS 66901			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
				Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 131 ft.				
SECTION BOX: Depth(s) Groundwater Encountered (1)				ft. (2) ft. (3) ft.
N WELL'S STATIC WATER LEVEL40				ft. below land surface measured on mo/day/vr7/2/09
Pump test data: Well water wasft. after hours pumpingg				
FOT VIELD 27				ft. after hours pumping gpm
NW NE				
W Bore Hole Diameter 9				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
sw	- SE - Domestic			ater supply Dewatering Other (Specify below)
				awn & garden  Monitoring well
<u> </u>	Was a chemical/	bacteriological sample	submitted to	to Department?  Yes  No
S If yes, mo/day/yr sample was submitted				
Water well disinfected?  Yes No				
5 TYPE OF CASING USED: Steel V PVC Other				
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded				
Casing diameter				
Casing height above land surface. 12 in., Weight 2.37 lbs./ft., Wall thickness or gauge No0.214				
			•••••	The state of the s
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals: From .0				
What is the nearest source of possible contamination:				
Septic tank				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None				
Transfer and the control of the cont				
				e from well
FROM TO		IC LOU	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2	Topsoil			
2 80	Clay, gray			
80 105	Creek gravel w/clay lay	ers		
105 115	Shale, gray			
115 125	Sandstone			
125   140	Shale, gray			
7 CONTRACTOR'S OF LANDOWNED'S CERTIFICATION. This was all 17				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   Constructed, □ reconstructed, or □ plugged				
under my jurisdiction and was completed on (mo/day/year) .7/2/09				
Kansas Water	Well Contractor's License No	o1.38 This W	ater Well R	Record was completed on (mo/day/vear) 7/20/09
under the busin	ness name ofPETERSON	IRRIGATION, INC.	• • • • • • • • • • • • • • • • • • • •	by (signature) believe
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three conject				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toneka Kansas 66612-1367				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: X White Copy, Blue Copy, Pink Copy				