WATE	R WEI	L RECORD	Form W	WC-5	Di	vision of Water	r Resources App. N	0.	
			Fraction				Township No.	Range Number	
County: Cloud			1/4 SE 1/4 SE	E 1/4 SW 1/4		5	T 6 S	R3 □E XXW	
		Address of Well Location;				System (GPS) in			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
1/2 mile West of Concordia, KS						Longitude: (in decimal degrees) Elevation:			
7102 Waterfront Dr., Concordia, KS						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Ryan Harms						Collection Method:			
RR#, Street Address, Box #: 711 Lincoln St.						GPS unit (Make/Model:)			
City,	, State, Z	IP Code : Clyde,	KS 66938		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 158 ft.									
E .	WITH AN "X" IN         4 DEPTH OF COMPLETED WELL								
) SEC.	N	WELL'S STAT	IC WATER LEVEL 1	05 f	helow	land surface r	neasured on mo/d	av/vr 10/22/10	
	N WELL'S STATIC WATER LEVEL 105ft. below land surface measured on mo/day/yr 10/22/10.  Pump test data: Well water wasft. after								
ECT VIELD 15 20 mm Well water was A char house numing									
W   NW - NE -   EST. HELD.1.3-20gpm. Well water was									
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
	Other (Specify below)   Dewatering   Other (Specify below)								
X									
<u> </u>	Was a chemical/bacteriological sample submitted to Department?  Yes XX No								
	S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected?  \( \overline{\forall} \) Yes \( \overline{\top} \) No									
5 TYPE OF CASING USED: Steel  PVC Other									
CASING JOINTS: 🖫 Glued 🗌 Clamped 🗎 Welded 🗎 Threaded									
Casing diameter5 in. to138 ft., Diameter ft., Diameter ft.									
Casing height above land surface12									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot XX Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 138 ft. to 158 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From20									
From									
6 GROUT MATERIAL: Neat cement Cement grout Sentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lin☐ Sewer lines ☐ Cesspool						Insecticide	cide storage		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well									
FROM	TO	LITHOLOG		FROM	ТО		OG (cont.) or PLU	JGGING INTERVALS	
0	2	Topsoil							
2	10	Clay, brown							
10	18	Sandstone							
18	42	Shale, gray							
42	51	Sandstone							
51	<b>1</b> 12	Shale, gray w/sar	ndstone layers						
112	160	Sandstone							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was									
under my jurisdiction and was completed on (mo/day/year) 10/.22/.10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under th	e busine	ss name of .Peterson .]	rrigation, Inc.	/ and DDD m	by (s	signature)/.	mu guia	ot amorrous Candalana	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									