

USE TYPEWRITER OR BALL  
POINT PEN—PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

SF SW NW SW

1. Location of well: <b>Cloud</b>	Fraction: $\frac{1}{4}$	Section number: <b>27</b>	Township number: <b>6</b>	Range number: <b>3</b>																					
2. Distance and direction from nearest town or city: <b>4 miles south of Concordia - 2 east</b> <b>1 3/4 south</b>		3. Owner of well: <b>Lloyd Mansfield</b> R.R. or street: <b>Rd 3</b> City, state, zip code: <b>CONCORDIA, KANSAS 66901</b>																							
4. Locate with "X" in section below: <div style="text-align: center;"> </div>		Sketch map: 																							
5. Type and color of material		6. Bore hole dia. <b>8</b> in. Completion date: <b>MAY 13 1976</b> Well depth: <b>154</b> ft.																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 10%;">From</th> <th style="width: 10%;">To</th> </tr> </thead> <tbody> <tr> <td><b>Black dirt &amp; white rock</b></td> <td><b>0</b></td> <td><b>15</b></td> </tr> <tr> <td><b>fine SAND</b></td> <td><b>15</b></td> <td><b>20</b></td> </tr> <tr> <td><b>Yellow CLAY</b></td> <td><b>20</b></td> <td><b>40</b></td> </tr> <tr> <td><b>Red CLAY</b></td> <td><b>40</b></td> <td><b>135</b></td> </tr> <tr> <td><b>SAND ROCK</b></td> <td><b>135</b></td> <td><b>150</b></td> </tr> <tr> <td><b>blue CLAY</b></td> <td><b>150</b></td> <td><b>154</b></td> </tr> </tbody> </table>			From	To	<b>Black dirt &amp; white rock</b>	<b>0</b>	<b>15</b>	<b>fine SAND</b>	<b>15</b>	<b>20</b>	<b>Yellow CLAY</b>	<b>20</b>	<b>40</b>	<b>Red CLAY</b>	<b>40</b>	<b>135</b>	<b>SAND ROCK</b>	<b>135</b>	<b>150</b>	<b>blue CLAY</b>	<b>150</b>	<b>154</b>	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
	From	To																							
<b>Black dirt &amp; white rock</b>	<b>0</b>	<b>15</b>																							
<b>fine SAND</b>	<b>15</b>	<b>20</b>																							
<b>Yellow CLAY</b>	<b>20</b>	<b>40</b>																							
<b>Red CLAY</b>	<b>40</b>	<b>135</b>																							
<b>SAND ROCK</b>	<b>135</b>	<b>150</b>																							
<b>blue CLAY</b>	<b>150</b>	<b>154</b>																							
8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>12</b> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. <b>5</b> in. to <b>154</b> ft. depth, Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth, gage No. <b>14</b>																							
10. Screen Manufacturer's name: <b>Western Plastic</b> Type: <b>T 300</b> Dia. <b>5"</b> Slot/gauze: <b>1/16"</b> Length: <b>30'</b> Set between <b>134</b> ft. and <b>154</b> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material: <b>1/4"</b>		11. Static water level: <b>15</b> ft. below land surface Date: <b>MAY 13 1976</b> 12. Pumping level below land surfaces: ft. after <b>4</b> hrs. pumping <b>5</b> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <b>10</b> g.p.m.																							
13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date: <b>MAY 20, 1976</b>		14. Well head completion: <b>NO</b> Pitless adapter <b>12</b> inches above grade																							
15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>2</b> ft. to <b>12</b> ft.		16. Nearest source of possible contamination: <b>120</b> ft. Direction: <b>east</b> Type: <b>Shenandoah</b> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																							
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <b>hand pump w/ pump jack</b> <input type="checkbox"/> Submersible <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <b>Pump Jack</b>		18. Elevation: <b>1550</b> Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley																							
19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Carl Therman</b> <b>SN 247</b> Business address: <b>16 Concordia, KANSAS</b> Signature: <b>Carl Therman</b> Date: <b>9/7/76</b> Authorized Representative																							

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5