1 LOCATION OF WATER WELL	1 4 4 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Section Number Township N	
County: Sherman Distance and direction from peare	est town or city street address of well if located with		s R 37 EM
Distance and another non-nour	Section of Gry Groot address of Hell I located with	, and only i	
2 WATER WELL OWNER: Ga			
RR#, St. Address, Box # : 58		Board of Agri	culture, Division of Water Resources
City, State, ZIP Code : Ka	anorado, KS 67741	Application N	umber:
3 LOCATE WELL'S LOCATON' AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	99 f. ELEVATION:	
XN	Depth(s) Groundwater Encountered 1		ft. 3 ft. Ç
<b>A</b> ^	WELL'S STATIC WATER LEVEL	ft. below land surface measured	ft. 3 ft. The second of the se
NWNE		vas ft. after	hours pumping gpm
	Est. Yield gpm: Well water v	vas ft. after	hours pumping gpm in
<b>₹ w</b>	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 Put	<b>99</b> ft. and	in. to ft. Soning 11 Injection well
swse	WELL WATER TO BE USED AS: 5 Put  1 Domestic 3 Feed lot 6 Oil	plic water supply 8 Air condition of the field water supply 9 Dewaterin	
DRLX	2 Irrigation 4 Industrial 7 Lav	vn and garden (domestic) 10 Monitorir	g well
S	Was a chemical/bacteriological sample su		
3	submitted		ed? Yes No X
5 TYPE OF BLANK CASING US	SED: 5 Wrought Iron		NTS: Glued X Clamped
	RMP (SR) 6 Asbestos-Cement	9 Other (specify below)	Welded
البسب	ABS 7 Fiberglass		Threaded
Blank casing diameter 4.	5 in. to 59 ft., Dia	in. to ft., Dia	in. to ft.
Casing height above land surface	e 18 in., weight 2 RATION MATERIAL:	38 lbs./ft. Wall thickness o	r gauge No248
	Stainless steel 5 Fiberglass	8 RMP (SR) 11 Oth	er (specify)
	Galvanized steel 6 Concrete tile		ne used (open hole)
SCREEN OR PERFORATION OF 1 Continuous slot	3 Mill slot 6 Wire w	d wrapped 8 Saw cut grapped 9 Drilled hole	
		apped 9 Drilled fiole	cify)
SCREEN-PERFORATED INTER	• •	99 ft. From	ft. to ft.
		ft. From	
GRAVEL PACK INTERV	^^	99 ft. From	ft. to ft.
	From ft. to	ft. From	ft. to ft.
6 GROUT MATERIAL: 1	Neat cement 2 Cement grout	3 Bentonite 4 Other	
Grout Intervals From 0	ft. to 20 ft. From	ft. to ft. From	ft. to ft.
What is the nearest source of pos	ssible contamination:	10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit privy		
2 Sewer lines	5 Cess pool 8 Sewage la	agoon 12 Fertilizer storage	
3 Watertight sewer lines	6 Seepage pit 9 Feedyard		Old Well
Direction from well? Northwe		How many feet?	30'
FROM TO CODE	E LITHOLOGIC LOG  Surface	FROM TO PI	UGGING INTERVALS
2 11	Loess		
11 35	Med Sand & Gravel		
35 50	Cemented Snd, Clay & Med Snd		
50 62	White Shelf Rock & Some Sand		
62 76 76 88	Cemented Sand Fine to med Snd & Cmnted Cly		
88 91	Sandy Clay		
91 93	Med Sand		
93 99	Red Shale		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was			
completed on (mo/day/yr) 10 - 0 1 - 03 and this record is true to the best of my knowledge and belief. Kansas			
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 1/-25-03			
under the business name of	Woofter Pump & Well, I	nc by (signature)	New 1. 11/80111
INSTRUCTIONS:. Please fill in Kansas 66620-0001. Telepho	in blanks and circle the correct answers. Send three corner: 913-296-5545. Send one to WATER WELL OWN	pies to Kansas Department of Health and En	vironment, Bareau of Water Topeka,