KOLAR Document ID: 1559018

WATER WELL RECORD Form WWC-5 Di						W II ID		
<u> </u>		ge in Well Use		sources App. N		Well ID	NY 1	
1 LOCATION OF V	VATER WELL:	Fraction		ection Numbe	1		nge Number	
County:	1/4 1/4 1/4	1/4	1 4 1 1	T S		□ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Business: Address:			direction from	n nearest town or	intersection): If at own	er's address,	check here:	
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPEND OF COL	ADI EWED IVELI		s =	_			
WITH "X" IN	4 DEPTH OF COMPLETED WELL:				,			
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)				
N	2) ft. 3) ft., or 4) ☐ Dry We WELL'S STATIC WATER LEVEL: ft.				Datum: WGS 84 NAD 83 NAD 27			
	below land surface, measured on (mo-day-yr)				e for Latitude/Longitud		,	
NW NE	above land surface, measured on (mo-day-yr)							
NW NE	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
$ \mathbf{w} $	after hours pumping gpm			Online Mapper:				
' '		Well water was ft.						
SW SE	after hours pumping gpm			(Floorities and the Free Control of Free Cont				
		Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: in. to ft. at			Source	Source:			
	1 mile in. to ft.							
7 WELL WATER TO BE USED AS:								
1. Domestic:		ter Supply: well ID			l Field Water Supply:			
Household	6. Dewatering: how many wells?				11. Test Hole: well ID			
Lawn & Garden	en 7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock					12. Geothermal: how many bores?			
2. ☐ Irrigation3. ☐ Feedlot	9. Environmental Remediation: well ID ☐ Air Sparge ☐ Soil Vapor Extraction				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. ☐ Industrial	☐ Recovery		Attaction					
· · · · · · · · · · · · · · · · · · ·								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.)	or PLUGGIN	G INTERVALS	
		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business nan	Sand one convite WATER W	/FII OWNED and matain -	ne for very	cords For of the	00 for each constructs 1			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								