	WATER WELL REC	ORD Form	WWC-5	KSA 82a			
1 LOCATION OF WATER WELL:	Fraction	Al 🚐	1	on Number	1 _ :	Number	Range Number
Distance and direction from nearest town	NE 1/4 NE		1/4	6	T	<u>o</u> (s)	R YLEW
				- 10			
	a north o	Ko	no.	abco			
2 WATER WELL OWNER: Blue		O			Poord :	of Agricultura (	Division of Water Resources
RR#, St. Address, Box # : City, State, ZIP Code : Code	- Box 103	7741				tion Number:	
3 LOCATE WELL'S LOCATION WITH 4	DEDTH OF COMPLETED	0//7/	-2/- 2	) # 5151/4	- Дрриса		
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED	WELL	CX CX	, π. ELEVA	(HON:		
- N	Pepth(s) Groundwater Encour	iterea 1 10	8		Z		
<b>                                    </b>							mping gpm
NW  NE	ist. Yield Q Ogpm:						
l'	ore Hole Diameter						
1 = W	VELL WATER TO BE USED	-			8 Air condition		Injection well
	1 Domestic 3 Feed					•	Other (Specify below)
SW SE	2 Irrigation 4 Indu						
	Vas a chemical/bacteriologica						
7	nitted	•	•		ater Well Disinfe	<b></b>	No
5 TYPE OF BLANK CASING USED:	5 Wrought	ron (	8 Concret	e tile	CASING	JOINTS Glue	Clamped
1 Steel 3 RMP (SR)	6 Asbestos	-Cement 9	9 Other (s	specify below	w)	Weld	ed
2 PVC 4 ABS	7 Fiberglas	<b>s</b> .					ided
Blank casing diameter 4.5 in							
Casing height above land surface		// 6			ft. Wall thickne	ss or gauge N	o. ジャスペー
TYPE OF SCREEN OR PERFORATION			PVC			Asbestos-ceme	
1 Steel 3 Stainless s			8 RMF			, , , , , ,	
2 Brass 4 Galvanized			9 ABS			None used (op	•
SCREEN OR PERFORATION OPENING		5 Gauzed wra			8 Saw cut 9 Drilled hol		11 None (open hole)
1 Continuous slot 3 Mill 2 Louvered shutter 4 Key	punched	6 Wire wrapp 7 Torch cut					
SCREEN-PERFORATED INTERVALS:	From 243	ft to	26	2.2 ft Fro	m	ft t	o
SOLIZINI ELI OLIZIZIO INTERIVAZIO.							o
GRAVEL PACK INTERVALS:							o
Returns							o ft.
6 GROUT MATERIAL: Neat ce		out	3 Benton	ite 4	Other		
Grout Intervals: From	. to	om	ft. to	o	ft., From	1	ft. to
What is the nearest source of possible co					stock pens		bandoned water well
1 Septic tank 4 Lateral	lines 7 Pit	privy	11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess p		wage lagoon			12 Fertilizer storage		ther (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			13 Insecticide storage				
Direction from well?   Conc ac	LITHOLOGIC LOG	ТБ	ROM	TO How ma	iny feet?	PLUGGING I	NTERVALS
0 20 Clay	Enrice Salo Eco		TION				112117120
	Sandstone.			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	,
	Sande tone.		1				
	Sandstoni.						
120 140 Sand							
140 160 Sand	1 clay	_\					
160 180 Sand +5	Sandstone Ha	d)					
180 200 Sand 40	Vay (Hard)	/					
200 215 Sand -	Sandutone-Clay	(Hard)					
3/2/3/3/0/ Jana			-				
	Mid. Sand						
	drock & Clay	_				<del></del>	
	Kock ()						
355360 3000							
DECISEAL STACE						0\ -11	
completed on (mo/day/year)	S CENTIFICATION: This was						
	484 This				on (mo/day/yr)		owledge and belief. Kansas
Water Well Contractor's License No under the business name of School	$\Lambda$ $\Lambda$ $\Lambda$ $\Lambda$ $\Lambda$	vvaler vven He	Scoru was	by (signa	// / .	Ver XV	····
INSTRUCTIONS: Use typewriter or ball point pe of Health and Environment, Bureau of Water, To	n. PLEASE PRESS FIRMLY and PRIN	Clearly. Please fill e: 913-296-5545. Se	in blanks, ur	nderline or circle	e the correct answe	rs. Send top three ne for your records	copies to Kansas Department
	·				-		