TLOCATION OF W	ATED MELL		WELL RECORD	Form WW					1
1 LOCATION OF W	OSBORNE	Fraction NE 1/4	NE 14 1		Section Number 18		Number	Range N	
ooding.	n from nearest town	74	74	74	_	T /	S	R +2	<u>¥</u> /w
Jistarice and direction	in non nearest town	110 GEM		BORNE K	•				
WATER WELL O	D/	ON KASER							
WATER WELL O		RASER R 110 GEM	T 3570						_
RR#, St. Address, B			67 4 73				of Agriculture, I	Division of Wat	er Resources
City, State, ZIP Code	11			66			tion Number:		
AN "X" IN SECTION	LOCATION WITH 4	DEPTH OF CO	OMPLETED WELL	50	ft. ELEV	ATION:			
	N De	epth(s) Groundw	vater Encountered	1	ft.	2	ft. 3		ft.
			WATER LEVEL2						
Nw	NE	Pump	test data: Well wat	er was	ft. :	after	hours pu	mping	gpm
1	Es	it. Yield 42	gpm: Well wat	er was	. <u> </u>	after	hours pu	mping	gpm
¥ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Bc ا	ore Hole Diamet	er \dots^{10} . \dots in. to		.66	and	in	. to	
Ē " !	! ' w	ELL WATER TO	D BE USED AS:	5 Public v	vater supply	8 Air condition	ning 11	Injection well	
sw	.	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify	below)
1		2 Irrigation			•	10 Monitoring			
ı	l W	as a chemical/ba	acteriological sample	submitted to	o Department? \	YesNo	XX; If yes,	mo/day/yr san	nple was sub-
	S mi	tted		····	W	ater Well Disinfe	cted? Yes	No	XX
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING	JOINTS: Glued	d XX Clam	ped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Oth	ner (specify belo	ow)	Weld	ed	
X2x PVC	_ 4 ABS		7 Fiberglass				Threa	aded	
Blank casing diamete	4 ABS er ⁵ in. land surface	to 46	ft., Dia	in.	. to	ft., Dia		in. to	ft.
Casing height above	land surface	₁₈ i	in., weight \dots 1	.60	Ibs	./ft. Wall thickne	ss or gauge N	o <i></i>	
TYPE OF SCREEN	OR PERFORATION N	MATERIAL:		292	ΨVC		Asbestos-ceme		
1 Steel	3 Stainless st	eel	5 Fiberglass	8	RMP (SR)	11 (Other (specify)		
2 Brass	4 Galvanized	steel	6 Concrete tile	9	ABS	12	None used (op	en hole)	
CREEN OR PERFO	PRATION OPENINGS	ARE:	5 Gauz	zed wrapped	d	8 Saw cut		11 None (op	en hole)
1 Continuous s	lot XXS Mills	ilot	6 Wire	wrapped		9 Drilled hole	es.	•	·
2 Louvered shu	itter 4 Key	punched	7 Torcl	h cut		10 Other (spe	cify)		
CREEN-PERFORA			46 ft. to .	66	ft Fro				
			ft. to .						
GRAVEL P	ACK INTERVALS:		30 ft. to .						
		From	ft. to			om			ft.
GROUT MATERIA			Cement grout		entonite 4	Other			
Grout Intervals: Fr	omft.	to 30.	ft., From	<i></i> . f	t. to	ft., From		ft. to	
	source of possible cor					stock pens		bandoned water	
1 Septic tank	4 Lateral I	ines	7 Pit privy		11 Fuel	storage	15 O	il well/Gas wel	I
2 Sewer lines	5 Cess po	ol	8 Sewage lag	oon	12 Ferti	ilizer storage	16 O	ther (specify b	elow)
3 Watertight se	wer lines 6 Seepage	pit	9 Feedyard			cticide storage			
Direction from well?	. •	•	•			any feet?			
FROM TO		LITHOLOGIC L	OG	FROM			PLUGGING II	NTERVALS	
0 10	SURFACE CI	ΔAY							
10 30	HARD GRAY	CLAY							
30 40	HARD YELLO								
40 50	MED GRAY C								
50 62	MED SAND			•					
62 66	BLUE SHALE	?							
	1 2202 0.2.02								
					1				
	1			1	1				
									
					_				
<u> </u>	<u> </u>								
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATIO	N: This water well w	vas (V) ons					
ompleted on (mo/da	,,,oa.,	9-601			. and this reco	ord is true to the			elief. Kansas
/ater Well Contracto	r's License No ⁴		This Water V	Vell Record	was completed	on (mo/day/yr)	9-7-01	(a),	<i>.</i>
nder the business n	ame of ANDY	ANDERSON	DRILLING		by (signa	ature)	du (Inder	ion
INSTRUCTIONS: Use of Health and Environ	typewriter or ball point pen. ment. Bureau of Water. Top	PLEASE PRESS FIR	MLY and PRINT clearly. Pl. 0001. Telephone: 913-296-	ease fill in blan 5545. Send one	iks, underline or circle to WATER WELL C	le the correct answer	s. Send top three one for your records	copies to Kansas D	Department