	TALL SPIE			ATER WELL RE	CORD								
		ATER WELL:	Fraction			_	ection Num		wnship Nu			ange Nun	nber
	Osborne			% NE 3		E 1/4	18	T	7	S	R	12	EW)
		on from nearest to		eet address of w	ell if locat	ed within ci	y?						
		borne, Kansas											
WATE	R WELL C	WNER: Midwa	v Coop Ass	ociation. Inc.									
RR#. St. A	Address. Bo	ox# : P.O. Bo	ov 40					Boar	d of Agricul	turo Divi	cion of l	Motor Do	
ity State	, ZIP Code			<i>(7.172</i>					cation Num		SIOTI OI V	valer re	sources
•		LOCATION	e, Kansas										
	N "X" IN S	SECTION BOX:	4 DEPTH O	F COMPLETED V	VELL	45	ft. El	EVATION:		1	56.7.04		
*******		N	Depth(s) Gro	oundwater Encou	intered 1	l <i></i>		. ft. 2		ft.	3		ft
⊼ Γ			WELL'S STA	ATIC WATER LE	VEL 3	6 .01 f	below land	d surface m	easured on	mo/day/	Vr	2/3/98	}
	,			ump test data:									
-	NW	NE X	Est Vield	. NA gpm:	Mall unto	rune	4	t after		haus pui	ing		gpii
<u>.</u>	1		Dans Mala D	: 1123 gpiii.	A A CII MATE			Laitei		nours pui	mping.		gpm
w L		E		iameter 8									ft
- · · [T	WELL WAT	ER TO BE USED					onditioning		Injection	well	
	0144	0-	1 Dome	stic 3 Feed	lot 6	Oil field wa	ter supply	9 Dew	atering	12	Other (S	Specify be	elow)
1 1	SW	SE	2 Irrigat	ion 4 Indus	trial 7	Lawn and g	garden only	10 Moni	toring well				
1 1		1	Was a chen	nical/bacteriologi									
<u> </u>			submitted	_	·		-	Water Well	•	•	,	No 🇸	,
TYPE (YE BI ANK	CASING USED:	l	5 Wrought	iron	8 Cond	rete tile		SING JOIN			•	
			- `	•					SING JOIN			•	
1 St		3 RMP (SI	(()	6 Asbestos			r (specify b	•		vveid	ed	· · · · · ·	
(2)P\		4 ABS		7 Fiberglas								.	
llank casii	ng diamete	er	. in. to	. 25 ft., [)ia	in.	to	ft.,	Dia		. in. to		ft
asing hei	ght above	land surface	-4.2	in., weight.		Sch 40.	lb	s./ft. Wall t	hickness o	gauge N	lo		
		OR PERFORATIO				(7)P			10 Asbe				
1 St		3 Stainless		5 Fiberglas	_	•							
				_			VIP (SR)		11 Other	` '	•		• • • • • •
2 Br		4 Galvaniz		6 Concrete		9 AI			12 None	used (op	en hoie)		
CREEN	OR PERFO	RATION OPENIN			5 Gauze	d wrapped		8 Saw	cut		11 No	ne (open	hoie)
1 C	ontinuous s	slot (3) M	fill slot		6 Wire v	wrapped		9 Drille	d holes				
2 Lo	ouvered shi	utter 4 K	ey punched		7 Torch	cut		10 Othe	r (specify)				
CREEN-F	PERFORAT	TED INTERVALS:	From	25	ft. to	45	ft.	From		ft.	to		ft
			From		ft. to		ft	From		ft.	to		ft
G	RAVEL PA	ACK INTERVALS:		23									
J GROUT	MATERIA	L: 1 Neat		2 Cement gr		(3)Bent							
Fout Inter	vals: Fro	m	. ft. to	21 ft., Fro	m 2	21 ft.	to 2	3 ft,	From		ft. to		ft
Vhat is the	e nearest s	ource of possible	contaminatio	n:			10 Li	vestock per	s	14 A	bandone	d water v	æil
1 Septi		4 Later		7 Pit	priw			uel storage		15 O	il well/Ga	s well	
2 Sewe		5 Cess			wage lago			-				ecify belo	
			•		• •	on		ertilizer stor				•	-
	ertight sew		page pit	э гес	edyard			secticide st		F(ormer.	Tank Ba	isin.
Direction f		On top of						nany feet?	•				
FROM	10		LITHOLOG	ac Log		FROM	10		PLU	GGING IN	HERVA	LS	
0	0.5	Concrete,		<u> </u>									
0.5	13	Fill Sand,											
13	30	Clay, Brown											
30	36	Clay, Brown							· · · · · ·				
						+	 						
36	45	Sand, Brown				ļ							
	.,					 	 						
						 							
							<u> </u>						
		1											

Project Name: Midway Coop Association, Inc - Osborne

×

×

GeoCore # 567, KDHE # U6 071 11162