KOLAR Document ID: 1377960

	WELL R			WWC-5			ision of Wa						
		Correction		e in Well Use			ources App.		T 1' N 1	Well ID			
				Fraction $\frac{1}{4}$ $\frac{1}{4}$	17	Section Number Township Number					ge Number		
county							$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							rection from nearest town or intersection): If at owner's address, check here:						
Address:	Address:												
Address:													
City: 3 LOCATI			State:										
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:							. ft. 5 Latitude:(decimal degrees)					
	SECTION BOX . Depth(s) Groundwater Encountered: 1)						Longitude:(decimal degrees)						
N	N 2) ft. 3) ft., or 4) 🗆 1 WELL'S STATIC WATER LEVEL:								WGS 84 INA		IAD 27		
	below land surface, measured on (mo-day-yr								Latitude/Longitude)		
NW	above land surface, measured on (mo-day-yr							(WAAS enabled? ☐ Yes ☐ No)					
	Pump test data: Well water was fi after hours pumping						□ Land Survey □ Topographic Map						
w X					ater was ft.			□ Online Mapper:					
SW	SW SE after hours pumping												
Estimated Yield:					gpm			6 Elevation:ft. Ground Level TOC					
5		n. to ft. and			Source: Land Survey GPS Topographic Map								
1 mile in. to ft.													
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease													
	□ Household												
🗌 Lawn &	Lawn & Garden 7. Aquifer Recharge: well ID							□ Cased □ Uncased □ Geotechnical					
	Livestock 8. Monitoring: well ID								al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID.							a) Closed Loop					
3. Example Feedlot Air Sparge Soil Vapor Ext 4. Industrial Recovery Injection							13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? \square Yes \square No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
Contin	uous Slot	I Mill Slot	🗌 Ga	auze Wrapped	Forc	h Cut 🛛 🗆 D	rilled Holes		Other (Specify)				
	red Shutter	C Key Punch					one (Open						
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
GRAVEL PACK INTERVALS: From													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From ft. to													
Nearest source of possible contamination:													
Septic 🗌	Fank -		Lateral Line				Livestock P			cide Storage			
Sewer I			Cess Pool	Sewage I			Fuel Storag			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)													
Direction from well? ft.													
10 FROM	TO		ITHOLOG			FROM	ТО		THO. LOG (cont.) or		G INTERVALS		
								<u> </u>					
								<u> </u>					
					-+								
					-+			-					
						Notes:		L					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
under my ju	risdiction an	d was compl	eted on (n	no-day-year) 	 Voto	\dots and $\mathbf{W}_{\mathbf{P}}$	this record	1s tri	ue to the best of m	y knowled	ge and belief.		
under the business name of													
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													