

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Osborne	NW 1/4 NE 1/4 NE 1/4	24	T 7 S	R 13 EW

Distance and direction from nearest town or city street address of well if located within city?
 Approximately 1/4 mile west of Osborne

2 WATER WELL OWNER: Osborne, City of
 RR#, St. Address, Box #: c/o City Clerk 133 West Main
 City, State, ZIP Code: Osborne, KS 67473
 Board of Agriculture, Division of Water Resources
 Application Number: 12,694

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 63 ft. ELEVATION: unknown	
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.	
	WELL'S STATIC WATER LEVEL . . . 3.6 ft. below land surface measured on mo/day/yr . . . 9-5-91	
	Pump test data: Well water was not ch'd. ft. after hours pumping gpm	
	Est. Yield unknown gpm: Well water was ft. after hours pumping gpm	
	Bore Hole Diameter . . . 18 in. to . . . 62 ft., and in. to ft.	
	WELL WATER TO BE USED AS:	
	5 Public water supply	8 Air conditioning
	1 Domestic	3 Feedlot
	2 Irrigation	4 Industrial
	6 Oil field water supply	7 Lawn and garden only
	9 Dewatering	10 Monitoring well
	11 Injection well	12 Other (Specify below)
	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted	
	Drilled near existing well Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
			Threaded
Blank casing diameter 8 in. to . . . 53 ft., Dia 8 in. to . . . 62 ft., Dia in. to . . . ft.			
Casing height above land surface 12 in., weight 5.54 lbs./ft. Wall thickness or gauge No. . . . 322			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
			9 ABS
			10 Asbestos-cement
			11 Other (specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	7 PVC
2 Louvered shutter	4 Key punched	6 Wire wrapped	8 Saw cut
		7 Torch cut	9 Drilled holes
			10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 53 ft. to 58 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 43 ft. to 62 ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Dirt 3 Bentonite 4 Other Bentonite Holeplug & Sand

Grout Intervals: From 5 ft. to 25 ft., From 0 ft. to 5 ft., From 25 ft. to 43 ft.

What is the nearest source of possible contamination: *Far Pit Privy UNIT*

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	None known

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil, clay			
3	22	Clay, silty			
22	32	Sand and clay, silty			
32	38	Sand, very fine, some clay			
38	47	Clay, blue			
47	50	Sand and gravel, fine, medium			
50	52	Clay, gray			
52	58	Sand and gravel, fine, medium and some coarse			
58	62	Shale, black			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-5-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 9-25-91 under the business name of Clarke Well & Equipment, Inc. by (signature) *Clarke Well & Equipment*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.