

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction 7/16 1/4 SW 1/4 SE 1/4		Section Number 13		Township Number T 7 S		Range Number R 14 EW			
County: <u>Osborne</u> Distance and direction from nearest town or city street address of well if located within city? <u>7 miles west of Osborne, 1/2 mile S, 1/2 mile west</u>											
2 WATER WELL OWNER: <u>Brian Byrd</u> RR#, St. Address, Box # <u>312 N 3rd</u> City, State, ZIP Code <u>Osborne, KS</u>					Board of Agriculture, Division of Water Resources Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION: <u>NA</u>								
<div style="text-align: center;"> </div>			Depth(s) Groundwater Encountered 1. <u>24</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>24</u> ft. below land surface measured on mo/day/yr <u>11-16-98</u> Pump test data: Well water was <u>28</u> ft. after <u>1</u> hours pumping <u>20</u> gpm Est. Yield <u>50+</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>10</u> in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No								
			5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped ② PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter <u>5</u> in. to <u>40</u> ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface <u>19</u> in., weight lbs./ft. Wall thickness or gauge No. <u>SDR 21</u>								
			TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot ③ Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)								
			SCREEN-PERFORATED INTERVALS: From <u>40</u> ft. to <u>50</u> ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From <u>50</u> ft. to <u>20</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout ③ Bentonite 4 Other											
Grout Intervals: From <u>20</u> ft. to <u>Surface</u> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy ⑩ Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>SE</u> How many feet? <u>250'</u>											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
0		7		loess							
7		15		clay							
15		18		v. f. sdy in clay matrix							
18		26		clay							
26		48		med to coarse sd.							
48		50		shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11-16-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>608</u> This Water Well Record was completed on (mo/day/yr) <u>12-3-98</u> under the business name of <u>Yellow Jacket Drilling</u> by (signature) <u>Em F. W...</u>											