	WATER WELL RECORD	Form WWC-5	KSA 82a-			
LOCATION OF WATER WELL		W NIC	Sec	ction Number	Township Number	Range Number
County: USborne	15W 14 5	W 1/4 NV 1/4		<u> </u>	<u>T '  S</u>	<u> </u>
Distance and direction from neares	st town or city street addre	ess of well if located w	ithin city?			
2 WATER WELL OWNER: R	WD IA DOUN					
RR#, St. Address, Box # :	2770 W 30th Dr				, Board of Agriculture	, Division of Water Resources
City, State, ZIP Code :	Alton KS 6	71025		#(	Application Number	•
3 LOCATE WELL'S LOCATION W	ITH 4 DEPTH OF COM	LETED WELL	<i>55</i>	ft. ELEVATI	ÔN:	
AN "X" IN SECTION BOX:	Depth(s) Groundwa	ter Encountered 🔒 1		ft. 2	? ft	. 3 ft.
N						
1 1	Pump to	est data: Well water	was	ft. aft	er hours	s pumping gpm
NWNE	WELL WATER TO E		wasublic water :			s pumping gpm Injection well
	1 Domestic	_	il field water		•	Other (Specify below)
w	E 2 Irrigation					
SW SE	Was a chemical/bac	teriological sample si	ubmitted to	Department? Ye	s No 🗶 · If ves	, mo/day/yrs sample was sub-
1 1	mitted	nonorogical campic of	Jonnico io		er Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING US	FD: 5.1	Admin - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0.4.0(1)(0.10(1)(T0.10(1)	- V a
1 Steel 3 RMI		Vrought iron Asbestos-Cement	8 Concre	ete tile (specify below)		ued Clampedelded
(2) PVC 4 ABS	* '	iberglass		(specify below)		readed
Blank casing diameter	6 in to 35	ft Dia	***************************************	in to	ft Dia	in to ft
Blank casing diameter Casing height above land surface	36	in weight	3.	680 ih	s /ft Wall thickness or ou	age No 280
TYPE OF SCREEN OR PERFORA	ATION MATERIAL:	mi, woight	ØPV	'C	10 Asbestos-C	
l .		iberglass		IP (SR)		emen. :ify)
		Concrete tile	9 AB		12 None used	
SCREEN OR PERFORATION OP	ENINGS ARE:	5 Guaze	d wrapped		8 Saw cut	11 None (open hole)
	3 Mill slot	6 Wire w		,	9 Drilled holes	Ti Mono (open noio)
•	4 Key nunched	7 Torch o	cut	•	10 Other (specify)	ft.
SCREEN-PERFORATED INTERV	ALS: From	35 mm	<i>5</i> 5	ft From	#	toft.
	From	••••••••••••••••••••••••••••••••••••••		ft., From	ft.	toft.
GRAVEL PACK INTERV	ALS: From	<b>3.0</b> ft. to	55	ft., From	ft.	toft. toft.
	From	ft. to	• • • • • • • • • • • • • • • • • • • •	ft., From	ft.	toft.
6 GROUT MATERIAL: 1	Neat cement 2	Cement grout	(6) band	tonite 4	Othor	
Grout Intervals: From	730 ft to 330	t From	(G) Deili	ionite 4	# From	4 10 4
What is the nearest source of poss		II., FIOIII	IL. I			
'		7 Disconium		10 Livestoo	··· <b>F</b> - · · ·	Abandoned water well
· ·	ateral lines	7 Pit privy		11 Fuel sto	· ·	Oil well/Gas well
1	Cess pool	8 Sewage lagoon		12 Fertilize	_ ^	Other (specify below)
	Seepage pit	9 Feedyard		13 Insectic		
Direction from well?				How many		
FROM TO	LITHOLOGIC LO	3	FROM	то	PLUGGING	INTERVALS
0 2, Surf						
2 14 Loes						
14 16 Cpy	.W/Chalkstrk	5				
16 22 Chall	<b>Κ</b>	10.				
22 44 Chui	wichalk strks	+ine sand				
144 48.5 Fine to	Med sand w/	day lens				
48.5 55 Blac		J				
7 CONTRACTOR'S OR LANDOV	WAIED'S SEPTIFICATION	. This water well was				
CONTRACTOR'S OR LANDOV completed on (mo/day/year)	vnen's certification 10-21-03					inder my jurisdiction and was knowledge and belief. Kansas
Water Well Contractor's Licence No				and this reco was completed o		103 A
under the business name of	noth- him		ren necord	<del>-</del>	inature)	lalinothe
YV	UUSTER PUMP	Well, Inc				6 Wolf
INSTRUCTIONS: Use typewriter or ball po	int pen. <i>PLEASE PRESS FIRMLY</i> gy Section, 1000 SW Jackson St.,					
and Environment, bureau or water. debiot		,				OOTOOW