LOCATION OF WATER	R WELL: Fraction					
nunty / IC AAA		1111	Section Numb	, , , , , , , , , , , , , , , , , , ,	1	Range Number
			1/4	Т /	s	R /5 EW
stance and direction fro	m nearest town or city street	address of well if located with	, ·	1 111		_
3 miles	south a	nd 3/2 mil	es west	of Alto	71	
WATER WELL OWNE			~ 1	مريناة أ		
R#, St. Address, Box #		Hampshire	Plug H	include Board of Ac	riculture Di	vision of Water Resource
y, State, ZIP Code			Wastl	Application		VISION OF TVALOR FIEDDARK
	ATION WITH A	67473	a	Аррисации	ivumber.	
AN "X" IN SECTION E	ATION WITH 4 DEPTH OF	COMPLETED WELL	Shill fileLEV	/ATION:		
N	Depth(s) Grou	nowater Encountered 1	· · • • • · · · · · · · · · · · · · · ·	. -		
		IC WATER LEVEL 3 2				
\ \w _	- NE Pu	mp_test data: Well water was	/ /// ft.	after	hours pum	ping gp
		WH gpm: Well water was				
	Bore Hole Dia	meter 60 in. to	.38 ft	and	in	to
w			olic water supply	8 Air conditioning		jection well
i	X Domest		field water supply	_		•
SW	- X I		• • •	9 Dewatering		ther (Specify below)
	2 Irrigation		•			
<u> </u>		al/bacteriological sample submit		_		no/day/yr sample was s
<u> </u>	mitted		V	Vater Well Disinfected		<u>No</u>
TYPE OF BLANK CAS	SING USED:	5 Wrought iron 8	3 Concrete tile	CASING JOIN	ITS: Glued	Clamped
1 Steel	3 RMP (SR)		Other (specify be			1 <i></i>
2 PVC	4 ABS 3.0	7 Fiberglass .	Hard duy	, POCK I'M	Thread	ed
ink casing diameter	(<i>ول</i>)in. to ح	كُ ft., Dia	in. to	ft., Dia	in	. to
sing height- above l and	surface	in., weight	lb	s./ft. Wall thickness or	gauge No.	
	ERFORATION MATERIAL:		7 PVC		stos-cemen	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)			•
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		• • • • • • • • • • • • • • • • • • • •	
	-				used (oper	·
	TION OPENINGS ARE:	5 Gauzed wra	• •	8 Saw cut		11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapp	ed	9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch cut		10 Other (specify)		
REEN-PERFORATED	INTERVALS: From	64 Am				
			•	om		
	From			om	, , ft. to.	
GRAVEL PACK		ft. to		om	, , ft. to.	
GRAVEL PACK				rom	ft. to.	
GROUT MATERIAL:	INTERVALS: From From 1 Neat cement	138 ft. to 3 ft. to 2 Cement grout	ft., F	rom	ft. to	
GROUT MATERIAL:	INTERVALS: From From	138 ft. to 3 ft. to 2 Cement grout	ft., F	rom	ft. to	
GROUT MATERIAL:	INTERVALS: From From 1 Neat cement	138 ft. to 3 ft. to 2 Cement grout	ft., F ft., F 3Bentonite ft. to. 5	rom	ft. to	clay
GROUT MATERIAL: out Intervals:	INTERVALS: From	2 Cement grout ft., From	tt., F. tt., F. 3 Bentonite ft. to 5. 10 Live	rom om 4 Other COMB tt., From Sestock pens	ft. to ft. to ft. to actal of 5	clay
GROUT MATERIAL: out Intervals: From. nat is the nearest source 1 Septic tank	INTERVALS: From	2 Cement grout 7 Pit privy	ft., F ft., F 3 Bentonite ft. to 5. 10 Live	rom	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. nat is the nearest source 1 Septic tank 2 Sewer lines	INTERVALS: From	ft. to 38 ft. to 2 Cement grout genter; fc 7 Pit privy 8 Sewage lagoon	tt., F ft., F 3 Bentonite ft. to 5. 10 Liv. 11 Fue 12 Fer	rom rom 4 Other COMB estock pens el storage tilizer storage	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer	INTERVALS: From	2 Cement grout 7 Pit privy	tt., F ft., F ft. to	rom rom 4 Other COMB estock pens el storage tilizer storage ecticide storage	ft. to ft. to ft	tt. to
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 38 ft. to 2 Cement grout grater fc 7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Liv. 11 Fue 12 Fer 13 Ins	om	ft. to. ft. to	ft. to O. andoned water well well/Gas well er (specify below)
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: ut Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: ut Intervals: From it is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: ut Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: ut Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From	ft. to 1 September 1 Septembe	10 Liv. 11 Fue 12 Fer 13 Ins How m	om. om. 4 Other COMP estock pens el storage tilizer storage ecticide storage eany feet?	ft. to ft. to ft	ft. to
GROUT MATERIAL: out Intervals: From. nat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO	INTERVALS: From	ft. to 38 ft. to 2 Cement grout referring 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG F	tt., F ft., F ft., F 3 Bentonite ft. to 5. 10 Liv. 11 Fue 12 Fer 13 Ins How m ROM TO 38 3/ 4 5 5	om. d OtherComp. ft., From estock pens el storage tilizer storage ecticide storage eany feet? Compa Malium Soi	ft. to ft	tt. to
GROUT MATERIAL: Dut Intervals: From at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well? ROM TO CONTRACTOR'S OR	INTERVALS: From	ft. to 1 September 1 Septembe	tt., F ft., F ft., F 3 Bentonite ft. to	com d Other COMP tt., From Setock pens el storage tilizer storage enticide storage enticide storage any feet? Compa Compa Madium Soi	ft. to ft. to ft	tt. to
GROUT MATERIAL: but Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well? ROM TO CONTRACTOR'S OR appleted on (mo/day/year	INTERVALS: From 1 Neat cement 3 /	ft. to 38 ft. to 2 Cement grout From 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG TION: This water well was (1)	tt., F ft., F ft., F 3 Bentonite ft. to	constructed, o (3) plucord is true to the best	ft. to ft. to ft	tt. to
GROUT MATERIAL: but Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? ROM TO	INTERVALS: From From 1 Neat cement 3 / ft. to 6 De of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC LANDOWNER'S CERTIFICA ar) 6 30 5 License No. 6 6 6	ft. to 38 ft. to 2 Cement grout referring 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG F	tt., F ft., F ft., F 3 Bentonite ft. to	constructed, o (3) blue cord is true to the best don (mo/day/yr)	ft. to ft. to ft	tt. to