\mathbf{W}	ATER WELL PLUGGING F	RECORD Form WV	VC-5P	KSA 82a-12	12 ID NO.	
1	LOCATION OF WATER WELL: County:	Fraction	Section V ₄	Number To	wnship Number T \ S	Range Number
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Check					
2	WATER WELL OWNER: JUY CONSWELL GPS unit (Make/Model:					
3 W	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N					
5	5 TYPE OF BLANK CASING USED: Steel RMP (SR) Wrought Asbestos-Cement Concrete Tile Blank casing diameter 10 in. Was casing pulled? Yes No If yes, how much in.					
6	6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 4 ft. to 8 ft., From 56 ft., From 57 ft., From 57 ft., From 57 ft.					
	What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Fertilizer storage Watertight sewer lines Sewage lagoon Lateral lines Feedyard Cess pool Livestock pens Oil well/Gas well Other (specify below) Firetilizer storage Insecticide storage Other (specify below) Fortilizer storage Insecticide storage Oil well/Gas well How many feet?					
	0 4 topso 4 8 Bento 8 au Churin au 34 Benton	nated gravel	FROM	ТО	PLUGGING	MATERIALS
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) under the business name of by (signature) by (signature)						
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.						