WATER WELL RECORD		Form WWC-	5	Division of Wate	r Resources App. No	J.	
1 LOCATION OF WATER WE	LL: Fractio				Township No.		
County: Osborne		SW 1/4 SE 1/4 S		1			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude: .39.466			
NW corner of the intersection of 2 nd Avenue and 2 nd St.			Longitude: -98.945(in decimal degrees)				
				Elevation: .1644			
In Alton, KS. 2 WATER WELL OWNER: Boetscher Enterprises				Datum: WGS 84. NAD 83, NAD 27 Collection Method:			
2 WATER WELL OWNER: Boettcher Enterprises RR#, Street Address, Box #: PO Box 486			Conection Method: GPS unit (Make/Model:)				
City, State, ZIP Code : Beloit, KS 67420			☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey				
Dolon, NO 01420				Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, ☑ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 34							
SECTION BOX: Depth(s) Groundwater Encountered (1).28.2 ft. (2) ft. (3) ft.							
N WELL'	N WELL'S STATIC WATER LEVEL 28.2						
	Pump test data: Well water was						
EST. YIELDgpm. Well water wasft. after hours pumpinggpm							
W Bore Hole Diameter 3.25 in. to .34 ft., and in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SW Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
S If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED:	Steel 7	PVC Dther		**********************	****		
CASING JOINTS: Glued	Clamped [Welded 17 Ti	hreaded				
Casing diameter .1. in. to .24							
Casing height above land surface in., Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From22							
From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
□ Watertight sewer lines □ Seepage pit □ Feedyard							
Direction from well North				rom well100		CONIC PERRIAL C	
	HOLOGIC LOG	FRO	MO	TO LITHO. LO	og (cont.) of PLUC	GGING INTERVALS	
0							
8 14 sand 14 16 sand, silt, clay							
16 21 sand							
21 24 sand, silt, clay	<u></u>						
24 34 sand & gravel							
				1004 45			
MW-15							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .7/25/14							
Kansas Water Well Contractor's License No7.09 This Water Well Record was completed on mo/day/year) .8/26/14							
unided the business name of Plair	s Environmenta	al Services, Inc.		by (signature)/.	Sur Kal	9	
THETHUTTONE: He transmites or hel	point pen PLFASE	PRESS FIRMLY and P	RINT cles	rly Please fill in blanks	and check the correct a	nativers. Send one copy to	
Kansas Department of Health an	Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite #20, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html							