	WA <sup>-</sup>	TER WELL REC	ORD	Form WWC-5	KSA 82a-	1212 ID N	o. 00368	304/			
1 LOCATION OF WATE		Fraction				ction Number	Township Nur		Range Nun	nber	
County: KOOKS		SE 14	NE	1/4 SE	145W	10	T 7	s	R /(0	E/ <b>M</b> )	
Distance and direction from	m nearest tow						·				
				- Man S	st						
2 WATER WELL OWNE	R: City	of Woods	ton								
RR#, St. Address, Box #	. Shar	i Reicha	rcl				Board of Agri	culture, Div	vision of Water R	esources	
City, State, ZIP Code	P.O.BC	400	10710	75			Application N				
3 LOCATE WELL'S LOCA	ATION WITH	4 DEPTH OF C					TION:				
AN "X" IN SECTION BO	DX:	Depth(s) Groun	ndwater E	Encountered	<u>ک</u>	./&f	. 2	ft. 3	7 7	ft.	
N	<del></del>	WELL'S STATION	C WATER	6.6. R LEVEL	ft. beld	ow land surfac	ce measured on mo/o	lay/yr <b>/./</b>	115/0	>	
1	1						after after				
NW	NE	WELL WATER	-		Public water :		8 Air conditioning		ection well	gpiii	
	1	1 Domestic		eedlot 6	Oil field water	r supply	9 Dewatering	12 Oth	ner (Specify belo	w)	
W	- <del> </del> E	2 Irrigation	4 Ir	ndustrial 7	Domestic (lav	vn & garden)	10 Monitoring well				
	1										
sw	SE	Was a chemica	l/bacterio	ological sample	submitted to	Department?	Yes No	; If yes, mo	/day/yrs sample	was sub-	
*	1	mitted				· W	ater Well Disinfected	? Yes	(No	$\cdot$	
5 TYPE OF BLANK CAS	SING USED		5 Wro	ight iron	8 Concre	ete tile	CASING JOIN	TS: Glued	Clamped	1	
1 Steel	3 RMP (SF	3)		stos-Cement		(specify below			d		
2 PVC	4 ABS	,	7 Fiber	rglass				Thread	ded		
Blank casing diameter	2	in. to	40	ft., Dia		in. to	ft., Dia .		in. tq	ft	
Casing height above land	surface	3.0	in.,	weight			lbs./ft. Wall thicknes	s or guage	No. 50191	THIC	
TYPE OF SCREEN OR P					P,V			stos-Ceme			
1 Steel	3 Stainless	Steel	5 Fibe	rglass		MP (SR)					
2 Brass	4 Galvaniz	ed Steel	6 Cond	crete tile	9 AB	SS	12 None	used (ope	n hole)		
SCREEN OR PERFORAT	TION OPENIN	IGS ARE:			zed wrapped		8 Saw cut		11 None (open l	nole)	
1 Continuous slot	3 <u>M</u>	ill slot			wrapped		9 Drilled holes				
2 Louvered shutter	4 Ke	ey punched	25	7 Torcl	n cut		10 Other (specify)	•••••		п.	
SCREEN-PERFORATED	INTERVALS:	From	ريم	ft. to	40	ft., From		ft. to		ft.	
ODAVEL BACK	INTERVALO.	From					l				
GRAVEL PACK	INTERVALS:										
6 GROUT MATERIAL:		cement		ement grout			4 Other				
Grout Intervals: From		ft. to	<u>.3</u> f	t., From	ft. 1	to	ft., From		ft. to	ft.	
What is the nearest source			_				tock pens		andoned water v		
1 Septic tank	4 Later	al lines		7 Pit privy		11 Fuel	storage	15 Oil	well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage (specify below)				w)	
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage				
Direction from well?						How ma	ny feet?	_			
FROM TO		LITHOLOGIC	LOG		FROM	ТО	PLUC	GING INT	ERVALS		
0 4 :	Sail										
4 21	5.11+										
21 27 3	Silturdo	au hìgh	odor								
27 33 5	× 2 d £	seamines	1	um codor							
33 35 0	Lauren, H	Say of me	., .	paraveluan	- nl~						
	and medic	, .,		. a · · · : r							
32 10 3	CAT CAL TITLE CATE	un tograv	- HALLE	THE PARTY OF THE P							
							M	W			
							, pv :	**V			
						-					
7 CONTRACTOR'S OR		DIA 055555	TIC:: -			1					
L CONTRACTOR 3 OR	LANDOWNE	HS CERTIFICA	HON: Th								
completed on (mo/day/yea	ir) <b>!.l<i>jV</i></b>	594					ecord is true to the best ed on (mo/day/yr)	2/14/0		n. nansas	
Water Well Contractor's Li			ا سلم	سم ما ال	vveil necord		(signature)				
under the business name		aco gre		(ains, 1	mc.		, , ,	7 2		-611 12	
INSTRUCTIONS: Use typewrit and Environment, Bureau of W											
records. Fee of \$5.00 for each		,	,			,					