WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section	on Number	Township No.	Range Number	
County: Rocks		NEW NEW NEW SEY		1	2	T 7 S	R /6 □E 🐼	
Street/Rural Address of Well Location; if unknown, distance & direction					l Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
7 For A Walster				Eleva	Elevation:			
2 WATER WELL OWNER: T. F.C. DIX					Datum: WGS 84, NAD 83, NAD 27			
3 East of Woods ton 2 WATER WELL OWNER: J. F.C. Dix RR#, Street Address, Box #: 275 26 Rd					Collection Method:			
City, State, ZIP Code :					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Stockton K.			67669	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL			•					
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL	L6.6		ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
N	A DEPTH OF COMPLETED WELL							
	Pump, test data: Well water wasft. after hours pumping							
NW - I - NF - I	EST. YIELD. 3.0gpm. Well water was							
W E Bore Hole Diameter							ft.	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From ft. to ft. From ft. to							to ft	
From							to ft	
From ft to ft From ft to ft								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft., Fr								
Grout Intervals: From 44 ft. to 4.0 ft., From 2.5 ft. to 5 ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank							er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer sto					☐ Oil well/ga			
Direction from well			7		ell		CODIO PERSON	
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	JG (cont.) or PLU	GGING INTERVALS	
	nd							
60 55 cl		* 4						
		KASMALL 9 M	Nel					
35 27 50		ell gravel						
27 0 50	<i>i</i> /							
		1						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 200 This Water Well Record was completed on (mo/day/year) 12-12-10								
under the business name of Gotts on a IK. Water. Well by (signature) Lerry Dottschalk.								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and cleck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Sen	d one copy to WAT	ER WELL OWNER and	retain one for	your reco	rds. Include fee	of \$5.00 for each co	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								