WATER WELL RECORD	Form WWC-5	Divi		r Resources App. No		
1 LOCATION OF WATER WELL:	Fraction	- 1	Number 24	Township No. T 7 S	Range Number R 17 ☐E ☑W	
County: Rooks	nw ¼ nw ¼ nw ¼			System (GPS) in		
Street/Rural Address of Well Location;	II unknown, distance & direct		e. T กรษากษายุ	s system (Gr s) in	(in decimal degrees)	
from nearest town or intersection: If at owner's address, check here .		Longit	Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
5 miles east of Stockton corner of J rd and 24 rd		Elevati	Elevation:			
THE WIND A COMMITTEE				4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Steve Riffle		Collecti	Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 2175 E. Rd City, State, ZIP Code : Stockto, KS 67669		Пр	Digital Man/Photo, Topographic Map, Land Survey			
City, blate, 211 code . Stockto), NS 0/009	Est. Ac	curacy: 🗀 <	<3 m, 🗌 3-5 m, 🔲	5-15 m,	
3 LOCATE WELL	COMPLETED WELL 52		A			
WITH AN "X" IN 4 DEPTH OF	dwater Encountered (1)	ff	(2)	ft. ((3) ft.	
N TERRET TO COMPAN	CYCLULATED I DIVET 12	(1)				
Pum Pum	Pump test data: Well water was 38 ft. after 1.1/2 hours pumping 300 gpm					
EST VIELD ?	1 EST VIELD 300 onthe Well water wastt. after nours pumping					
Bore Hole Diameter 10						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes Y No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes No						
5 TYPE OF CASING USED: Ste						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5						
Casing diameter .5 in. to5.2	ft., Diameter	in. to	11, 1 Wall th	ickness or gauge N	No21	
Casing height above land surface 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21						
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Try 1 1 T Wise system [7] Say out 1 Other (specify)						
The state of the s						
ff to the trom						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat ce	From	Rentonite [n., 11011 7 Other			
Grout Intervals: From .26 ft.	to .5 ft., From	ft. to	fi	t., From	ft. toft.	
What is the nearest source of possible co						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Septic tank Septi						
Direction from well	, - p	istance from w	ell			
FROM TO LITHOLO	OGIC LOG FR	OM TO	LITHO.	LOG (cont.) <u>or</u> PL	LUGGING INTERVALS	
Well was Recontruc	red				was the same of th	
Not drilled.					The state of the s	
			-			
and the same of th		71		atmostad [7] racen	structed or [] plugged	
7 CONTRACTOR'S OR LANDOWN under my jurisdiction and was complete	1 (a /day/y/app) 17/31// 1/3	and this	recora is iri	ie io ine best of m	A VIIO MICHEO GILLOS	
Tr Wille Wall Contractor's License	a No. U 199 Inis Wate	r wen kecora	was comple	COURSE TERMINAL TO A SECOND PROPERTY OF THE PERSON OF THE		
c Karet Wa	iter Well Drilling & Service.	INC hv (signaturei			
INSTRUCTIONS: Use ty pewriter or ball point (white, blue, pink) to Kansas Depar tment of He Telephone 785-296-5524. Sen d one copy to V	ealth and Environment, Bureau of W	ater, Geology Sect	uon, 1000 SW ords. Include	fee of \$5.00 for each	h constructed well. Vi sit us a	
Telephone 785-296-5524. Send one copy to white://www.kdheks.gov/waterwell/index.html.	VALER WELL OWNER and Clan					
TC 1 00 - 1010		(Check:	White Copy,	Blue Copy, Pink Cop	