WATE	R WELL	RECORD	Forn	wwc-	5 I	Division of Wa							
			177			Section No.	umber	Townsh T	ip Number 7 S	Rang R	e Number 18 w		
1 LOCATION OF WATER WELL: Fraction County: Rooks SE ½ NW ½ NE ½ Distance and direction from nearest town or city street address of well if Clobal Positioning System (decimal degrees, min. of 4 digital contents of the county											n. of 4 digits)		
llocated within city? 308 S. Walnut, Stockton K.S. Latitude: IN 39.43300													
								Longitude: W 99.27351°					
2 WAT	2 WATER WELL OWNER: Rooks County Highway Dept.							Elevation: RIM: 1778.73; TOC: 1778.42					
RR#, St. Address, Box # : 303 S. Walnut						Datum: NAVD88							
City, State, ZIP Code : Stockton KS 67669 Date								fethod: le	egal survey				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 23.50 ft.													
1		1				N/13/11							
LOCA			1 4 F	4		147 44 11	A 2		ft 3		ft		
WITH AN "X" IN Depth(s) Groundwater Encountered 1 tt. 2 tt. 3 tt. 1 lead on the second on the second of the second													
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 SECTION BOX: Depth(s) Groundwater Encountered 1 SECTION BOX: The second se													
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm													
Est. Yield gpm: Well water was ft. after hours pumping gpm													
Langua Lixing Well Water to be USED AS: 5 Public water supply 8 Air conditioning 11 injection well													
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)													
W E Domestic 1 Domestic 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well													
2 Irrigation 4 Industrial / Dolliestic (lawli & galden) (to) Wolffloring well													
SW - SE - No. V : If yes moldey/yrs													
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs													
Sample was submitted Water Well Disinfected? Yes No X													
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped													
1 54	or CASE	3 RMP (SR) 6	A sheetos. C	'ement	9 Othe	r (specify be	low)		Weld	ed			
1 50	561	S KIVIF (SK) 0	Asucsius-C	CIIICIII) Out	r (specify oc	,,,,		Threa	ded	Y		
(2)PV	/C	4 ABS 7	Fibergiass					D:-	IIII Ca	to			
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 13.50 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.31 ft., Weight lbs./ft. Wall thickness or gauge No.													
Casing height below land surface 0.31 ft., Weight lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
ISCREEN OR PERFORATION OPENINGS ARE:													
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)													
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 13.50 ft. to 23.50 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 12 ft. to 24 ft. From ft. to ft. From ft. to ft. From ft. to ft.													
SCREEN.	-PERFORA	TED INTERVALS	: From	13.50	ft. to	23.50	_ft. Fr	om	ft. 1	to	ft.		
			From		ft. to		ft. Fr	om	ft.	to	ft.		
GR	AVET PAG	TERVALS.	From	12	ft. to	24	ft. Fr	om	ft.	to	ft.		
	ZIVLDIII.	DIE IIVI DIE VIEDD.	From		ft to		ft Fr	om	ft.	to	ft.		
			110111		11.10								
6 GROU	JT MATE	RIAL: 1 Neat cen	nent 2 Cen	ment grout	(3) Be	ntonite (4)Other	Concret	te: 0-1'				
Grout Inte	rvals F	com 1 ft. to	12 ft.	From	•	ft. to	ft.	From		ft. to	ft.		
What is th	e nearest so	ource of possible con	ntamination:	:				-					
	tic tank		nes 7 Pit pr		10 Live	stock pens	13 Inse	ecticide S	torage	16 Ot	her (specify		
	er lines	5 Cess poo	1 8 Sewa	ge lagoon (11) Fuel	storage			water well		low)		
			nit 0 Feeds	go lugoon (12 Ferti	lizer storage					,		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? E How many feet? ~70'													
Direction	from well?						<u> </u>						
FROM	TO	LITHO	LOGIC LO	G	FRO	M TO		PLUG	GING INT	ERVA	_S		
0	2	Brown gravel & se	oil				<u> </u>						
2	4	Dark brown silt w	/ trace med	ium to									
		coarse sand											
4	8	Medium to coarse	brown-ora	nge sand									
8	16	Medium to coarse	brown-ora	nge sand									
		w/ some gravel											
16	18	Weathered gray b	rown shale										
18	24	Dark gray to black											
							Flush	nount wa	niver from	\mathbf{BOW}^{T}			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged													
under my jurisdiction and was completed on (mo/day/year) 12/10/13 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 1/2/14													
under the h	usiness name	of Larsen & Ass	ociates. Inc.			nature)	- 1	رسهدا	5				
South to the conject of Vancos Department of Health and Environment Bureau of Water													
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for													
vour records	Fee of \$5.00	for each constructed we	Il. Visit us at h	nttp://www.kd	heks.gov/v	vaterwell.							