KOLAR Document ID: 1418088

WATER W		Division of Water Resources App. No				   Well II	<sup>-</sup> [							
Original Record Correction Change  1 LOCATION OF WATER WELL:			Fraction			Section Number			Township Numb		Range Number			
County:			1/4	1/4 1/2					1			□ E □ W		
							treet or Rural Address where well is located (if unknown, distance and							
							irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:														
City: State: ZIP:														
3 LOCATE V	VELL													
WITH "X" IN 4 DEPTH OF COM														
SECTION	SECTION BOX: Depth(s) Groundwater Encountered: 1)						2019101010							
N	2) ft. 3) ft., or 4) \( \begin{align*}  WELL'S STATIC WATER LEVEL:													
□ below land surface, measured										<u>Latitude/Longitude</u> unit make/model:			,	
NWX-	NE	above land surface, measured on (mo-day-yr								WAAS enabled?				
	i l	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map				,			
W	E	after hours pumpinggp						Online Mapper:						
SW	SE	Well water was ft. after hours pumping gp												
	1	Estimated Yield:gpm					<b>6 Elevation</b> :ft.				. 🔲 Grou	and I	Level 🔲 TOC	
S		Bore Hole Diameter: in. to					g				☐ GPS ☐ Topographic Map			
1 mile		in. to												
7 WELL WATER TO BE USED AS:														
1. Domestic: 5. ☐ Public Water Supply: well ID														
☐ Household 6. ☐ Dewatering: h										e: well ID				
☐ Lawn & Garden 7. ☐ Aquifer R ☐ Livestock 8. ☐ Monitorir										ed Uncased Geotechnical crmal: how many bores?				
☐ Livestock 2. ☐ Irrigation					tion: well II					Loop  Horizon				
3. Feedlot			Air Sparge		Soil Vapor		••••			Loop Surface Di				
4. ☐ Industrial ☐ Recovery					Injection	-								
Was a chemic	cal/bacteri	iological san	nple subm	itted to 1	KDHE?	Yes $\square$ 1	No :	If yes, date	e sar	nple was submitte	d:			
Water well dis					_	_		,		ı				
8 TYPE OF	CASING	USED: □ S	teel PV	C   Othe	er	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	l 🗌 Wel	ded	☐ Threaded	
										in. to				
Casing height al					ht	lbs.	/ft.	Wall thicl	kness	or gauge No		••		
TYPE OF SCI										7 (0)				
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ised (open	hala)		ner (S	Specify)			•••••	
SCREEN OR					☐ None (	iseu (open	noie)							
☐ Continuo		☐ Mill Slot		auze Wrap	ped □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)				
☐ Louvered		☐ Key Puncl						ne (Open F						
SCREEN-PER	RFORATE	D INTERV	ALS: From	1	ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to	ft.	
GRA	VEL PAC	K INTERV	ALS: Fron	n	. ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to.	ft.	
				_								••••		
Nearest source				It., From		It. to	• • • • • • •	It., From	••••	ft. to	It.			
Septic Tan			Lateral Line	s F	☐ Pit Privy			ivestock Pe	ens	☐ Insection	cide Stora	ıoe.		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well														
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
☐ Other (Specify)         Direction from well?         ft.														
					tt. HO. LOG (cont.) or		INIC	INTEDMALC						
10 FROM	TO	1	ITHOLOG	JIC LUG		FRON	1	TO	LH	no. Log (cont.) of	PLUGG.	ING	INTERVALS	
						<u>-</u> -								
						Notes:								
<del>                                     </del>														
11 CONTRA	CTOR'S	OR LANDO	)WNER'S	S CERTI	FICATION	V: This w	ater	well was F	700	onstructed, $\square$ reco	nstructe	d o	r 🗌 plugged	
under my juris	sdiction an	d was compl	eted on (m	no-day-ye	ar)		and th	nis record	is trı	ie to the best of m	y knowle	edge	e and belief.	
Kansas Water	Well Cont	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was co	mple	eted on (mo-day-y	ear)			
under the busi	ness name	of	****	mr r 0	ED 1 :			1 5 2:		or each <u>constructed</u> we		<u></u>		
KS Department	S t of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	EK and retain	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka, Kansas 66612-136	eil. 57. Teleph	one î	785-296-3565	
Visit us at http://				, 50010				, 120,	- ~PC	,			A 82a-1212	

