WAT:	ER WEI	L RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: LOOKS		OF WATER WELL:	Fraction % NW % NW % NW %	Section Number Township No. Range Number T 7 S R 19 DE W
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:
				Latitude: (in decimal degrees)
FROM STOCKTON: 5 MI WEST 2 MI SOUTH				Longitude: (in decimal degrees)
1	ROMSTO	CKION: 5 MI WEST 21	MI SOUTH	Elevation:
				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 W	ATER W	ELLOWNER: B.J. HO	ETING	Collection Method:
RI	R#. Street A	Address, Box #: P.O. BO	OX 423	GPS unit (Make/Model:
Ci	ty, State, Z	TR A 1	ELL, NE 69129	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
-	.,,, -	Crixin	ELL, NE US128	Est. Accuracy:
3 LOCATE WELL				
•	TH AN "X	"IN 4 DEPTH OF	COMPLETED WELL .35	
SE	CTION BO	X: Depth(s) Groun	dwater Encountered (1)	ft. (2) ft. (3) ft.
	N	WELL'S STAT	IC WATER LEVEL. 32	ft. (2) ft. (3) ft. t. below land surface measured on mo/day/yr
N.	T	Pumr	test data: Well water was	ft. after hours pumping gpm
11		POT VIDI D 2	gpm. Well water was	ft. after hours pumping gpm
w	NW N			ft., andft.
"  _				ter supply  Geothermal  Injection well
	'   '	COS Damanda	☐ Feedlot ☐ Oil field wa	ter supply Dewatering Other (Specify below)
SW SE				
Was a chemical/bacteriological sample submitted to Department? Yes V No				
		was a chemical	/day/yr sample was submitted	o poburanom: D 199 M 140
<u> </u>	S 1 mile	ii yes, mo	day/yi sampic was submitted	*****************
Water well disinfected? ☑ Yes ☐ No				
5 TYPE OF CASING USED: Steel PVC Other				
CASI	NG JOIN	rs: 🗹 Glued 🔲 Clau	mped 🗌 Welded 🔲 Threade	d
Cas	ing diame	er .5 in. to .25	ft., Diameter in	to
Casing height above land surface 24 in., Weight 160 lbs/ft., Wall thickness or gauge No.				
		EN OR PERFORATION		<b>33</b>
Steel Stainless Steel PVC Other (Specify)				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot				
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From. 24				
From ft. to ft. From ft. ft. ft.				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other				
Grout Intervals: From 0 ft to 24 ft From ft to ft From ft to ft				
What is the nearest source of possible contamination:				
Septic tank				
	Sewer lin		☐ Sewage lagoon ☐ Fuel store	ge Abandoned water well
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well NONE				
Di	rection from	m well	Distance	from well
FROM		LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	5	TOPSOIL		
5	20	CLAY / FINE SAND		
20	32	FINE SAND / CLAY		
32	35	SHALE		
132	133	STALE		
<u> </u>				
<u> </u>				
			<u> </u>	
,				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged				
under	my jurisdi	ction and was completed of	on (mo/day/year) .8/29/2012:	nd this record is true to the best of my knowledge and belief.
Kansa	s Water W	ell Contractor's License N	io. 489 This Water Well	Record was completed on (mo/day/year) 8/29/2012
under	the busine	ss name of AQUA PUM	IP.LLC	by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				
		guv/waterweil/ingex.html.		Charles White Come Dive Come Divis Come
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				