WAIL	K WEI	T KECOKD	Form WV	1C-3			r Resources App. N		
1 LOCATION OF WATER WELL:		Fraction	17 NA/ 17	Section	on Number 35		Range Number		
County: 42 CD VS			% SVV % NVV	% NVV %	Claba		T 7 S	R 19 □E ØW	
County: QCOVS 4 SW 4 NW 4 NW 4 35 T 7 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System									
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
FRO	OTS MC	CKTON: 5 MI WEST 2 N	AI SOUTH		Elevation: (in decimal degrees)				
						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: B.J. HOETING					Collection Method:				
RR#, Street Address, Box #: P.O. BO				GPS unit (Make/Model:)					
C' CL A TID C. I.			ELL. NE 69129	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
			Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >				5-15 m,		
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40									
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL32ft, below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after hours pumping gpm									
N	W N	Li			ft. after				
w	1 1								
		1 1 -	TO BE USED AS: □						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Water Well disinfected? Water Well disinfected? Water Well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: M Glued Clamped Welded Threaded									
Casing diameter .5									
Casing height above land surface. 24									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 30									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well NONE									
Dire	ction from	n well		Distance	from we	<u> </u>			
FROM	_	LITHOLOG		FROM	TO			IGGING INTERVALS	
0	5	TOPSOIL							
5	24	CLAY							
24	30	FINE SAND / CLAY							
30	37	SAND & GRAVEL							
37	40	SHALE					· · · · · · · · · · · · · · · · · · ·		
	1					······································	******		
	†								
	 			——— 					
 	 								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .8/16/2012 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on moday/year) 8/29/2012									
maisas	w awt W o hueino	ss name ofAQUA P.U.M	PLLC	www. W Cli Ki	hu lo	ionature)	The Van	m Duell	
INSTRI	CTIONS	Use typewriter or ball point pen	PLEASE PRESS FIRMLY	nd PRINT cle	urly Ples	se fill in blanks	and check the correct	t answers. Send three conies	
(white, bl	ue, pink) t	o Kansas Department of Health	and Environment, Bureau of	Water, Geolo	gy Sectio	n, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephon	c 785-296-	5522. Send one copy to WAT	ER WELL OWNER and re	tain one for y	our recor	ds. Include fee	of \$5.00 for each of	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									