GSI Job	No. 05711	2									274400		MV	V-12
1 LOCATI	ON OF WATE	R WFII:			LL RECORD	Form V		KSA :		2 ID No. 0			nge Numbe	r
_	CI		NW		E 1/4	NW		15	11001	т 07		R	02	Tw l
Distance an		m nearest	town or city str									<u> </u>		
	WELL OWNE		KDHE			-								
	Idress, Box #			W Jacks	on Suite	410				Board of Agr	icultura Div	ision of V	Nater Reso	urcas
l '	ZIP Code			, KS 66		,				Application N		151011 01 4	Valor Neso	uices
LOCATE	WELL'S LOC	CATON W												
AN "X" II	N SECTION B	OX:	DEPTH	OF COMP	LETED WEL	L	29	ft.	ELEVA	TION:	94.	24 (TC)C)	ے ا
†	,X	i	Depth(s)	roundwater	Encountered	1 1			n. :	2	n.	3		··· ^{π.} ‡
	NW	- NE	WELL'S S	TATIC WAT	ER LEVEL	21.8	37ft. b	elow l	and sur	face measured	on mo/day	/yr	3-28-06	<u>ត</u> ្ត
6	i			Pump test	data: Well	water wa	s		ft. :	after	hours	pumping		gpm Ç
₩ -		- 	E Est. Yield		gpm: Well	water wa	s		ft. :	after	hours	pumping		
i	j.	j_	Bore Hole	Diameter	8.5 in.	. to	30		fi	t. and		n. to		ft. ≱
	sw	- SE	WELL WA	TER TO BE	USED AS:	5 Public	c water su	pply		8 Air conditi 9 Dewaterin	oning 1	1 Injecti	on well (Specify be	low)
l↓ L			2 100	ration 4	Industrial	7 1 245	and garde	appiy an (dor	mactic\	10 Monitorii	y you	2 04.01	(Opcom) be	,,,,,
	S													
				mical/bacter	_	ipie subn				es No 2 r Well Disinfec				- 1
5 TYPE O	E BI ANK CAS	SING USE	D:							CASING JO				
1 Ste			MP (SR)		-						Wek		Clamped	
	C C	_	• •										Flush	$\overline{}$
				7										
Blank casin	g diameter	<u>-</u> -£	in. to Flushmou	4	_ft., Dia		in. to	,		n., Dia		_ in. to _	Sab 40	^{ft.}
Casing heig	tht above land	surface	Flushmot	int_in., w	eight		<u> </u>	10	os./ft. V	/all thickness o	r gauge No	·	3cn. 40	
			TION MATERIA		5 15 1					10 Asi				
1 Ste 2 Bra			ainless steel		Concrete tile		9 1	KMP (3	5K)	11 Ott	ner (specity) ne used (on	en hole)		-
			NINGS ARE:		5 (vrapped	100		12 No 8 Saw cut	ne useu (op	11 No	ne (open ho	ole)
1	ntinuous slot		3 Mill slot							9 Drilled hole				·
2 Lou	uvered shutter		4 Key punche			Forch cut				10 Other (spe	cify)			
SCREEN-P	ERFORATED	INTERVA	LS: From	14	ft. to		29		ft. Fro	om	ft.	to		ft.
			From		ft. to				ft. Fro	om	ft.	to		ft.
GR.	AVEL PACK I	NTERVAL	S: From	11.5	ft. to		29		ft. Fro	om	ft.	to		ft.
										om				
6 GROUT	MATERIAL:	1 N	eat cement				3 Bent	onite	4	Other				
Grout Interv	als From	1	ft. to	11.5 ft	. From		ft. to	<u> </u>		ft. From		ft. to)	ft.
What is the	nearest source	e of possi	ble contamination	on:				10	Livesto	ck pens	14 At	andone	d water well	
1 Se	ptic tank		4 Lateral	lines	7 Pit	privy		11	Fuel st	orage	15 Oi	l well/ Ga	as well	
	wer lines		5 Cess p			wage lag	oon			er storage	16 O	ther (spe	cify below)	
I	atertight sewer	lines	6 Seepa	ge pit	9 Fee	edyard				cide storage				
Direction fro		CODE	1:	THOLOGIC			50014	How	many fo		LUGGING I	NITEDY /A		
0	10 1	CODE	Topsoil	THOLOGIC	LUG		FROM	1	-	Р	LUGGING	NIEKVA	LS	
	· ·		Clay, mod s	iff to verv	stiff. verv h	igh								
1	5	СН	plasticity, dai	k brown										
			Clay, with si							· · ·				
5	10	C. M.	med stiff, low											
10	10 15		gray brown n Silty Clay,					-						
	1.5	CL-INL	Clay, stiff to					1						
15	25	СН	red brown	· · · · , · · · · · · · · · · · · · · ·	g pou	J.,		1						
			Claystone,			city,								
25	30		blocky, light	gray mottle	ed red									
	· · · · · · · · · · · · · · · · · · ·								-					
7 CONTR	ACTOR'S OF	LANDOM	NER'S CERTIF	ICATION:	This water :::	all was 14	() construc	ted (2	2) recon	etructed or /2)	plugged up	for my in	riediction an	nd was
						Was [^			. //	1
			· · · · · · · · · · · · · · · · · · ·	3-20-00 53					,	e to the best o			//	
i .	Contractor's L				rvices, In	· · · · · · · ·			/	cold yeas comp	leted on (mi	urday/yr)	1	<u> </u>
	usiness name RUCTIONS:. Pl		planks and circle t	he correct ar	swers. Send	three coni	by (sig			of Health and E		Bureau of	Water, 1000	sw
Jackso	on St., Ste. 420,	Topeka, K	ansas 66612-136	7. Telephon	e: 913-296-55	545. Seno	d one to W	ATER V	WELL O	WNER and retai	n one for you	r records.		