


1 LOCATION OF WATER WELL: County: Malheur Fraction: SW 1/4 SE 1/4 Section Number: 7 Township Number: T 7 S Range Number: R 22 EW

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Herbert Hale RR#, St. Address, Box #: R-213-110 C7642 Board of Agriculture, Division of Water Resources Application Number:

City, State, ZIP Code: R-213-110 C7642

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 

4 DEPTH OF COMPLETED WELL: 70 ft. ELEVATION: 69 FT

Depth(s) Groundwater Encountered 1. 69 FT ft. 2. 70 ft. 3. 70 ft.

WELL'S STATIC WATER LEVEL 69 FT below land surface measured on mo/day/yr

Pump test data: Well water was 69 FT ft. after 0 hours pumping 0 gpm

Est. Yield 0 gpm: Well water was 69 FT ft. after 0 hours pumping 0 gpm

Bore Hole Diameter 0 in. to 0 ft., and 0 in. to 0 ft.

WELL WATER TO BE USED AS: 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes 0 No 0; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes 0 No 0

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below)

CASING JOINTS: Glued 0 Clamped 0 Welded 0 Threaded 0

Blank casing diameter 5 in. to 70 ft., Dia. 0 in. to 0 ft., Dia. 0 in. to 0 ft.

Casing height above land surface 0 in., weight 0 lbs./ft. Wall thickness or gauge No. 0

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.

GRAVEL PACK INTERVALS: From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.

What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)

Direction from well? All around How many feet? 0

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>Bottom</u>	<u>50F</u>	<u>Sand</u>
			<u>50</u>	<u>6</u>	<u>Soil</u>
			<u>6</u>	<u>1 FT</u>	<u>Cement</u>
					<u>Casing cut off 2 FT</u>
					<u>Below ground level</u>

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 0 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 0 This Water Well Record was completed on (mo/day/yr) Oct 15 1988 under the business name of Herbert Hale by (signature)