

W	_		RECORD		WWC-5 1098			ion of Wate			Well ID		
1	Original Record Correction Change in LOCATION OF WATER WELL: Fra						rces App. No on Number Township Number				ge Number		
County:			1/4 1/4 1/4	1⁄4						$\Box E \Box W$			
2 WELLOWNER: Last Name: Business: Address: Address: City: State:				First: ZIP:	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
3	,	LOCATE WELL											
-	WITH "					WELL: ft.			5 Latitude:				
w	SECTION BOX: N N 2) NWNE below land surface, measu w below land surface, measu SWSE E Well water w after				3)ft., or 4) [TER LEVEL: , measured on (mo-day- measured on (mo-day- vater was	t., or 4) □ Dry Well CR LEVEL:ft. heasured on (mo-day-yr) heasured on (mo-day-yr) er wasft. umping			Longitude:				
	X			timated Yield:gpm					Source: Land Survey GPS Topographic Map				
	: 1 n	S nile	Bore Hole L	Bore Hole Diameter: in. to in. to				Other					
			O BE USED A					1					
1. 2. 3.	WELL WATER TO BE USED AS: Domestic: 5. □ Public Water Supply: well ID Household 6. □ Dewatering: how many wells? Lawn & Garden 7. □ Aquifer Recharge: well ID Livestock 8. □ Monitoring: well ID Irrigation 9. Environmental Remediation: well ID B. □ Feedlot □ Air Sparge □ Soil Vapor Explored Houstrial □ Recovery □ Injection						 	 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Duncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify): 					
	Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No													
					C 🗆 Other	CA	ASING	G JOINTS	5: 🗆	Glued Clamped	□ Welded	□ Threaded	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. to in. Weight lbs./ft. Wall thickness or gauge No. ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. ft. TYPE OF SCREEN OR PERFORATION MATERIAL:													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Distance from well? Distance from well? ft.													
	FROM	m well? TO		ITHOLOG		FROM				ft. HO. LOG (cont.) or			
10	TROM	10			JIC LUG	FKUI	v1	10		10. LOG (colit.) OF	LUGGIN	JINIERVALO	
			<u> </u>										
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)													
]	KS Departn	nent of Health			Vater, Geology Section, 10							785-296-3565.	
	-		neks.gov/waterwell					- ,	1			A 82a-1212	

Form	WWC5
Contractor	Woofter Pump & Well, Inc.
Well Owner	Mike Money
Doc ID	1098915

Litholgy

From	То	LithologicLog
0	5	surface
5	22	loess
22	48	cement sand w/sand
48	51	fine sand w/caliche strks
51	54	caliche (hard)
54	71	sandy clay w/sand strks
71	84	fine sand
84	95	med sand
95	102	clay & caliche w/sand strks
102	115	sand w/clay strks
115	130	fine sand w/clay & caliche
130	140	clay
140	155	fine sand w/clay strks
155	160	clay w/sand
160	172	fine sand
172	185	clay
185	190	shale