11.00.5.5.	TED 145.		H WELL HECORD	Form WWC-		2a-1212			
LOCATION OF WATER WELL:		Fraction	CD		ction Numbe	_	p Number	Range N	umber
County: Graha		SE 1/4		SE 1/4	25	т 7	S	R 24	<b>5</b> ₩
Distance and direction	n from nearest town o	or city street a	address of well if loca	ated within city?					
2 WATER WELL O	WNER: Dave Wil	lson			U-1/				
RR#, St. Address, B	ox # : Rt 2 Box	x 101				Board	of Agriculture, [	Division of Wate	er Resource
City, State, ZIP Code		tv, KS (	67642	i			ation Number:		
LOCATE WELL'S	LOCATION WITH 4	DEPTH OF C	COMPLETED WELL.						
-	N De		twater Encountered  WATER LEVEL						
1 l i	1 ; 1 1'''			-					
NW	NE		p test data: Well w						
1 1	1 ' 1 1		gpm: Well w						
* w   1	<del>                                     </del>		eterin.						
<u>₹</u>	1 !   W	ELL WATER	TO BE USED AS:	5 Public wat		8 Air conditio	ning 11	Injection well	
I sw	SE	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		Other (Specify	,
		2 Irrigation	4 Industrial		• ,	10 Monitoring			
<u> </u>		as a chemical/ tted	bacteriological samp	le submitted to D	•	YesNo.		mo/day/yr sam	ple was sub
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr		<del>-</del>	JOINTS: Glued		ped
1 Steel	3 RMP (SR)		6 Asbestos-Cemer	nt 9 Other	(specify belo	ow)	Welde	ed	
2 PVC	4 ABS /		7 Fiberglass					nded. 🗶	
Blank casing diameter	4 ABS 4.5in.	to 14	ft., Dia	in. to	<b>)</b>	ft Dia		in. to	ft.
Casing height above	land surface	1.8	.in weight	2.38		s./ft. Wall thickne	ess or gauge No	.24	18
	OR PERFORATION M		, <b>.</b>	7 P\			Asbestos-ceme	•	
1 Steel	3 Stainless st		5 Fiberglass	<u> </u>	MP (SR)		Other (specify)		
2 Brass	4 Galvanized		6 Concrete tile	9 AE					
	PRATION OPENINGS				00		None used (op	,	
				uzed wrapped		8 Saw cut	1	11 None (ope	n noie)
1 Continuous s				re wrapped		9 Drilled ho			
2 Louvered shu		punched	14	rch cut 24			ecify)		
SCREEN-PERFORA	TED INTERVALS:	From				rom			
		From	ft: to	21	ft., Fr	rom	ft. to	<b>D</b>	
GRAVEL P	ACK INTERVALS:	From	1.4 ft. to		ft., Fr			o	<i>.</i>
		From	ft. to		ft., Fr	rom	ft. to	<u> </u>	ft.
6 GROUT MATERIA	71		2 Cement grout	3 Bento		4 Other			
Grout Intervals: From	om	to	1.4. ft., From	ft.	to	ft., Fron	n <u>.</u>	ft. to	
What is the nearest s	source of possible cor	ntamination:			10 Live	estock pens	14 AI	pandoned wate	r well
<ol> <li>Septic tank</li> </ol>	4 Lateral li	ines	7 Pit privy		11 Fue	el storage	15 O	il well/Gas well	
2 Sewer lines	5 Cess po	8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)				
3 Watertight se	wer lines 6 Seepage	pit pit	9 Feedyard		13 Inse	ecticide storage			
Direction from well?					How m	any feet?			
FROM TO		LITHOLOGIC	LOG	FROM	ТО		PLUGGING IN	NTERVALS	
0 2	Surface								
2 9	Loess								
9 13	Clay								
13 24	Med sand &	gravel w	/ clay stks	loose					
24 5	Hard chirt								
	I IIII C			THE PARTY OF THE P	1	,,,,,		- m van	
							··		
			. v . (A. 6 d. 6				** * * *******************************		
				70 30 100					
	AND REAL PROPERTY OF THE PROPE	F 10/48441-4/							
7 CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATI	ON: This water well	was (1) constru	cted (2) red	constructed or (	3) plugged und	er my jurisdicti	on and was
completed on (mo/da		9-2-98							
Water Well Contracto	, , ,	-	This Water					78 1	iici. Nalisas
			•	TTEII NECOIG WA			1.10		
under the business n			Well, Inc.		by (sign		my G. WOO	Tur	
INSTRUCTIONS: Use	typewriter or ball point pen.	PLEASE PRESS F	FIRMLY and <u>PRINT</u> clearly. 10-0001. Telephone: 913-29	Please fill in blanks, 6-5545. Send one to	underline or circ	cle the correct answer	ers. Send top three	copies to Kansas D	epartment