WATER WELL RECORD			Form W	WC-5	Division of Wate	r Resources App. N	o. L	
1 LOCATION OF WATER WELL: County: GRAHAM		Fraction ¼ SE ¼ NE		Section Number 27	Township No. T 7 S	Range Number R 24 □E ☑W		
Street	Rural Address	of Well Location; i	f unknown, distance &	direction	Global Positioning System (GPS) information:			
from r	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
3 1/4	mile North of	Penokee on road	200th Ave				(in decimal degrees)	
					Elevation:	4 D NAD 92 D	 1 NAD 27	
2 WAT	ER WELL O	WNER: DEBRA	FOX-HOLT BROWN		Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
DED. U.			RNINGSIDE DR	•	GPS unit (Make/Model:)			
Ct. Ct. CTD C 1			E CITY TX 77573-3003		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
					Est. Accuracy: -	3 m, 3-5 m,	5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .75								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .!							
) SECT	N WELL'S STATIC WATER LEVEL. 42ft. below land surface measured on mo/day/yr. 07:0						av/vr. 07-07-09	
			test data: Well water wasft. after hours pumping gpm					
EST. YIELD. 15			gpm. Well water wasft. after hours pumping gpm					
w	E		ter 10					
	1 1							
sw	SWSE X Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
Casing	diameter .5	in. to .75	ft Diameter	in. 1	o ft D	iameter	in to f	
Casing diameter .5 in. to .75 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight .160								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Sire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From60								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well ☐ Distance from well								
FROM	TO TO	LITHOLOG		FROM			IGGING INTERVALS	
		FACE CLAY		I KOWI	LITHO. LI	JO (COIII.) OF PLC	OULING INTERVALS	
-		E LIMESTONE R	OCK					
		CLAY	<u> </u>	† · · · · † ·				
		TO FINE SAND						
		SAND CLAY						
7.00N	DA CORONIC S	D I AND OFFICE	1C CEDETET CASE					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigsiz \) constructed, \(\substact \) reconstructed, or \(\substact \) plugged under my jurisdiction and was completed on \(\text{mo}/\text{day/year} \) .07-07-09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 444 This Water Well Record was completed on (mo/day/year) .07-07-09								
under the business name of ANDY ANDERSON DRILLING by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
					—	FJ,	17,	