WATER WELL RECORD	Form W	WC-5	Division of Wate	er Resources App. N	o. L	
1 LOCATION OF WATER WELL: County: GRAHAM	Fraction SW ¼ SW ¼ SE	1/4 1/4	Section Number	Township No.		
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
4 NORTH, 1 1/2 WEST OF PENOKEE		Longitude: (in decimal degrees)				
THORNI, I HE WEST ST PERSONEE			Elevation:			
2 WATER WELL OWNER: BORBY MORRIS			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
BOBST MOTATIO			Collection Method:			
RR#, Street Address, Box #: 1875 T ROAD City, State, ZIP Code : DENOKEE KS 67659		☐ GPS unit (Make/Model:				
City, State, ZIP Code : PENOKEE KS 67659		Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square > 15 \text{ m}$				
3 LOCATE WELL						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 85						
SECTION BOX: Depth(s) Ground	Depth(s) Groundwater Encountered (1).50 ft. (2) ft. (3) ft.					
N WELL'S STATE	WELL'S STATIC WATER LEVEL50ft. below land surface measured on mo/day/yr09-16-09					
Pump	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD. 30	EST. YIELD. 30gpm. Well water wasft. after hours pumping gpm					
W Bore Hole Diameter !!in. tott., andin. tott.						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
SW SE						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water wen districted: 1 1es 140						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5 in. to .85 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface in., Weight .160lbs./ft., Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From85						
From						
GRAVEL PACK INTERVALS: From. 85 ft. to40 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination: Septic tank						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well			from well			
FROM TO LITHOLOG		FROM			GGING INTERVALS	
0 10 SURFACE CLAY						
10 40 FINE SAND						
40 80 WHITE LIMESTONE M	IXED WITH SAND					
80 85 YELLOW LIMESTONE						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .09-16-09 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 444 This Water Well Record was completed on moday/year) 09-16-09						
under the business name of ANDY ANDERSON DRILLING by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three conies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						