		FED 14/F1 /		WELL RECO	NO FOII	n wwc-:						
	oraha Graha	TER WELL:	Fraction	1/0	NE	1	ction Number 36	Township		1	ge Numl	per
County:			17.	V C 1/4		1/4	36	<u> </u>	<u> </u>	l R	25	₹w)
distance and	a direction	from nearest town o	or city street add	aress of well if	located wit	tnin city?						•
WATER	WELL OW	NER: Merle	Anderson	ı	Murfir	n Dri	lling,	Inc.				
RR#, St. Ad	ddress, Bo		Prout		P. O.	Box	661	Board of	Agriculture,			esource
City, State, 2	ZIP Code	: Hill, C	itv. Ks.	67642	Colby	, Ks.	67701	Application	on Number:	96036	3	
LOCATE AN "X" IN	WELL'S L	OCATION WITH	DEPTH OF CO	MPLETED WI	ELL. 1.30		ft. ELEVAT	TION:				
		u IDe	pth(s) Groundw	ater Encounte	red 1		ft. 2		ft. 3	1	· · · · • ·	ft.
· • •	!	! WE						ace measured of				
L	NW	- *						ter				
	1							ter				
w	1	l Boi	re Hole Diamete	er8	.in. to	130.	ft., a	ind	in	. to	.	ft
" [1	I WE	ELL WATER TO	BE USED AS	S: 5 P	ublic wate	er supply	B Air conditioning	ng 11	Injection v	/ell	
	CVA	SE	1 Domestic	3 Feedlo	t 6 <u>0</u>	il field wa	iter supply	9 Dewatering	12	Other (Sp	ecify belo	ow)
	- >W	3;	2 Irrigation	4 Industr	ial 7 La	awn and	garden only 1	0 Monitoring we	ell			
	i	Wa	as a chemical/ba	acteriological s	ample subm	nitted to D	epartment? Ye	sNo	X; If yes	mo/day/y	sample	was sul
		mit	tted				Wat	er Well Disinfec	ted? Yes	1	lo X	
TYPE OF	BLANK (CASING USED:		5 Wrought iro	n	8 Concr	ete tile	CASING J	OINTS: Glue	J X b	Clamped	
1 Stee	el	3 RMP (SR)		6 Asbestos-Ce	ement	9 Other	(specify below			ed		
2 PVC	;	4 ABS		7 Fiberglass				•	Threa	aded		
		4. • 5 in.		•						in to		ft
_	•	and surface								_		
		R PERFORATION M		m, worght		7 PV			sbestos-ceme		7 - 7 . 7 .	
1 Stee		3 Stainless ste		5 Fiberglass			MP (SR)		ther (specify)			
2 Bras		4 Galvanized		6 Concrete tile		9 AE						
		RATION OPENINGS					13		one used (op		/ h	-1->
					Gauzed w	• •		8 Saw cut		11 None	(open n	oie)
	tinuous slo				Wire wrap	•		9 Drilled holes				
	ered shut	, ,		മറ	Torch cut	130		10 Other (spec	• .			
CREEN-PE	RFORATI		From		t. to			٠				
			From		t. to	1.30		1 <i>.</i>				
GF	RAVEL PA	CK INTERVALS:	From	 f	t. to		ft., From	1	ft. t	o <i></i>		ft
			From	f	t. to		ft., Fron					ft
GROUT N	MATERIAL	.: 1 Neat ceme m	ent 2	Cement grout				Other				
rout Interva	als: Fro	m ft. t	to . 	ft., From		 ft .	to	ft., From .		ft. to .		ft.
hat is the	nearest so	ource of possible con	tamination:				10 Livesto	ock pens	14 A	bandoned	water we	ell
1 Sept	tic tank	4 Lateral lin	nes	7 Pit pr	ivy		11 Fuel s	torage	15 O	il well/Gas	well	
2 Sew	er lines	5 Cess poo	ol	8 Sewa	ge lagoon		12 Fertiliz	er storage	16 O	ther (spec	ty below)
3 Wate	ertight sew	er lines 6 Seepage	pit	9 Feed	yard		13 Insecti	cide storage				
rection fro	m well?						How man	y feet?				
ROM	TO	L	LITHOLOGIC LO	OG		FROM	то	F	PLUGGING I	NTERVAL	3	
0	2	Surface										
2	18	Loess										
18	19	Caliche										
19		Cemented Sa	and w/Fi	ne Sand	Str			Maritima and Commission (Commission of Commission of Commi				
45												•
53	57	Sandy Clay Med. Sand	w/ band	OCLAS.								
57		Caliche w/										
61		Sandy Clay		Sand St	rks							
91		Sandy Clay					 					
95		Fine to Med										
- 33	102	rine to met			E T II G							
700	107	mi - l- h - mi		Lenses			1					
102		Tight Fine										
107		Sandy Clay	w/Fine	to Med.	Sand	Strk	-					
120		Med. Sand					ļ					
127	130	Shale					LL					
CONTRA	CTOR'S	OR LANDOWNER'S	CERTIFICATIO	N: This water	well was (1) constru	cted, (2) recor	structed, or (3)	plugged und	ler my iuri:	diction a	and was
		year)										
ater Well (Contractor'	s License No 5.5	54	This W	ater Well R	lecord wa	s completed o	n (mo/day/yr)	11-1-	96	. 2 30.101.	· · · · · · · · · · · · · · · · · · · ·
		me of Woofter										
50				well	inc -		by (signati	ire) / W)	
		pewriter or ball point pen.							46.ti		<u></u>	