USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## REVISED REPORT

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

		\$ 1				, ,	
1. Location of well:	County	Fraction		Section	number	Township number Range number	
and the second s	Sheridan	SW 1/4 NE 1/4	<del></del>		23	T 7 S R 27 ★/W	
· '				Owner of well: Frank Summerson			
Street address of well location if in city:  R.R. or s  City, sto					r street: trate, zip code: Hoxie, Kansas		
4. Locate with "X" in section below:  Sketch map:				***************************************		6. Bore hole dia. 30 in. Completion date 8-18-76  Well depth 210 ft.	
· · · · · · · · · · · · · · · · · · ·	WARRANT PARTICULAR SANDA					7 Cable tool Rotary Driven Dug	
NW	X NE					Hollow rodJettedBoredXReverse rotary	
						8. Use: Domestic Public supply Industry	
W W						X Irrigation Air conditioning Stock Lawn Oil field water. Other	
11 1 1	SE					9. Casing: Material Steel Height: Above or XXX	
	CONTRACTOR OF CO					ThreadedWelded XSurfaceininins	
1-4						Dia. 16 in. to 140 ft. depth Wall Thickness: inches or	
5. Type and color of	material			From	То	Diain. toft. depth gage No#7	
C1 arr	THE RESIDENCE OF THE PROPERTY					10. Screen: Manufacturer's nameBrown	
Clay				1 0	30	Type Perforated Dia. 16" Slot/gauze 10% Length 60	
Grave1			MINION OF ARIZONIA STREET	3,0	40	Set between 140 ft. and 200 ft.	
Clay, Streaks of Gravel				40	80		
Clay				80	100	11. Static water level: mo./day/yr. 126 ft. below land surface Date 8-23-76	
Clay, Strea	iks of Sand	DESCRIPTION OF THE PROPERTY OF		100	120	12. Pumping level below land surfaces: 210 ft. after 2 hrs. pumping 850 g.p.m.	
Med. Gravel, Streaks of Clay				120	140	ft. after hrs. pumping g.p.m.	
Coarse Sand, Med. Gravel				140	160	Estimated maximum yield 850 g.p.m.  13. Water sample submitted: mo./day/yr.	
Med. Gravel				160	179	Yes X No Date 14. Well head completion:	
Clay				179	1 <b>%</b> 90	Pitless adapter 12 Inches above grade	
Gravel					***************************************	15. Well grouted? X Clay With: Neat cement X Bentonite X XXXXX	
Clay				190		Depth: From 0 ft. to 10 ft.	
					203	16. Nearest source of possible contamination:  ft. 5000 Direction S Type Farm  Well disinfected upon completion? Yes X No	
Ochre & Shale				203	210	17 Pump	
		Worldoon N	·			Manufacturer's name F10way	
15KOCK 703'						Length of drop pine 190 ft. capacity 850 a.p.m.	
				-		Type: 5 stage 12" DOL_bowl	
						Submersible X Turbine Reciprocating	
10.5	(Use a second si	neet if needed)	······································	<u></u>	<u> </u>	Centrifugal Other	
18. Elevation:	19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report	
Topography:						is true to the best of my knowledge and belief.	
Hill						Western Well & Pump 245 Business name 2-2 License No.	
Slope X Upland						Address Box 852, Colby, KS 67701 Signed Davis Date	
Valley						Authorized representative	

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5