

WATER WELL R		WWC-5 1319 ge in Well Use		vision of Water ources App. No		Well ID	
Original Record Correction Chang 1 LOCATION OF WATER WELL:		Fraction			· · · · · · · · · · · · · · · · · · ·	·· · · · · · · · · · · · · · · · · · ·	
County:	1/4 1/4 1/4			_			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business:	ist rume.	1 1131.			ntersection): If at owner's a		
Address:	direction from hearest town of intersection). If at owner s address, effects here:						
Address:	_						
City:	State:	ZIP:					
3 LOCATE WELL	4 DEPTH OF COM	MPLETED WELL:	f	. 5 Latitud	le:	(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwater				ude:		
N SECTION BOX.		3) ft., or 4)		Datum:	☐ WGS 84 ☐ NAD 8	3 □ NAD 27	
		WELL'S STATIC WATER LEVEL: ft.			for Latitude/Longitude:	_	
		e, measured on (mo-day			S (unit make/model:)	
NW NE X		e, measured on (mo-day			(WAAS enabled? ☐ Ye		
		water was			nd Survey Topograph		
W E		s pumpingwater was		☐ On	line Mapper:	•••••	
SW SE		s pumping					
	Estimated Yield:		Spin	6 Elevati	i on: ft. 🗀] Ground Level ☐ TOC	
S		in. to	ft. and	Source:	☐ Land Survey ☐ GPS		
mile		in. to	ft.		☐ Other		
7 WELL WATER TO	BE USED AS:			•			
1. Domestic:		ater Supply: well ID		10. 🔲 Oil	Field Water Supply: lease	<u>,</u>	
☐ Household		ng: how many wells?			ole: well ID		
Lawn & Garden		techarge: well ID			ed Uncased Geo		
Livestock		ng: well ID			rmal: how many bores?		
2. Irrigation		al Remediation: well I			a) Closed Loop Horizontal Vertical		
3. Feedlot	☐ Air Sparg		Extraction		en Loop Surface Disch		
4. Industrial	Recovery				er (specify):		
Was a chemical/bacter		nitted to KDHE? \square	Yes No	If yes, date	sample was submitted: .		
Water well disinfected?			G + G*	va van ma			
8 TYPE OF CASING							
Casing diameter							
Casing height above land s TYPE OF SCREEN OR			108./11.	wan unckn	less of gauge two	******	
	less Steel Fiber			□ Othe	r (Specify)		
			used (open hol		(Specify)		
SCREEN OR PERFORA			(o r	-,			
☐ Continuous Slot			orch Cut 🔲 I	Orilled Holes	☐ Other (Specify)		
☐ Louvered Shutter	☐ Key Punched ☐ W			None (Open Ho			
SCREEN-PERFORATE	ED INTERVALS: From	n ft. to	ft., From	ft. to	ft., From	ft. to ft.	
					ft., From		
9 GROUT MATERIA							
Grout Intervals: From							
Nearest source of possible		—	_			~	
☐ Septic Tank	Lateral Line			Livestock Pens			
Sewer Lines	☐ Cess Pool	☐ Sewage La		Fuel Storage			
☐ Watertight Sewer Lin				Fertilizer Stora	age 🗌 Oil Well/C	jas weii	
☐ Other (Specify)							
10 FROM TO	LITHOLO		FROM		LITHO. LOG (cont.) or PL	UGGING INTERVALS	
					(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction an	nd was completed on (r	no-day-year)	and	this record is	true to the best of my k	nowledge and belief.	
Kansas Water Well Con under the business name							
GIACT THE DUSTILESS HATTIE	Send one copy to WATER V	VELL OWNER and retain	one for your rec	ords. Fee of \$5.0	00 for each <u>constructed</u> well.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Woofter Pump and Well, Inc.	
Well Owner	Mark Schamberger	
Doc ID	1319632	

Litholgy

From	То	LithologicLog
0	2	surface
2	17	loess
17	25	clay & caliche
25	31	med sand
31	42	clay
42	58	clay w/sand lenses
58	63	clay & caliche
63	65	caliche
65	72	clay & caliche
72	79	clay caliche & sand lenses
79	81	caliche
81	83	clay
83	96	fine & med sand some coarse
96	115	clay caliche & sand lenses
115	116	sand layer
116	119	caliche
119	125	clay w/caliche
125	130	med sand
130	132	caliche -hard
132	152	clay sticky yellow
152	167	med sand
167	172	clay
172	183	med sandloose
183	189	clay & caliche

Form	WWC5	
Contractor	Woofter Pump and Well, Inc.	
Well Owner	Mark Schamberger	
Doc ID	1319632	

Litholgy

From	То	LithologicLog
189	196	sticky grey clay
196	197	fine sand
197	230	ochre
230	240	black shale