## KOLAR Document ID: 1523330

WATER W		ECORD Correction		<b>WWC-5</b> e in Well Use		vision of Wa			Well ID		
			Fraction	Resources App. No. Section Number			Township Number Range Numb		ge Number		
County: $\frac{1}{4}$					4 <sup>1</sup> /4	$\begin{array}{c} \text{T} \\ \text{T} \\ \text{S} \\ \text{R} \\ \text{E} \\ \text{E} \\ \text{W} \\ \end{array}$					
2 WELL OWNER: Last Name: First: S						Street or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:		1	State:	ZIP:							
3 LOCATE V WITH "X"		4 DEPTH	OF COM	IPLETED WELL:	f	t. 5 Lati	tude:			(decimal degrees)	
SECTION		Depth(s) Gro			Longitude:(decimal degrees)						
N	2011		Dry Well								
		WELL'S ST		It. -yr)			Latitude/Longitude:				
NW	- NE			-yr)		$\Box GPS (unit make/model:) (WAAS enabled? \Box Yes \Box No)$					
		Pump test da			□ Land Survey □ Topographic Map						
W V	E	after	hours			Online Mapper:					
"X	- SE	after	Well v								
		Estimated Y		Spin	6 Elevation:ft.  Ground Level TOC						
S		Bore Hole D			Sour	Source:  Land Survey  GPS  Topographic Map Other					
								Other			
7 WELL WATER TO BE USED AS:         1. Domestic:       5. <ul> <li>Public Water Supply: well ID</li> <li>10.              <li>Oil Field Water Supply: lease</li> </li></ul>											
Househol	ld				11. Test Hole: well ID						
🗌 Lawn & O		7. 🗖	Aquifer R			Cased Uncased Geotechnical					
				g: well ID			al: how many bores				
2.     Irrigation     9. Environmental Ro       3.     Feedlot     Air Sparge				emediation: well ID			a) Closed Loop  Horizontal  Vertical b) Open Loop  Surface Discharge  Inj. of Water				
4.  Industrial Recovery							13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:											
Water well disinfected?  Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Stot □ Mill Stot □ Gauze wrapped □ Torch Cut □ Diffied Holes □ Other (Specify)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL:  Neat cement  Cement grout  Bentonite  Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.											
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage											
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well											
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					_						
<u>├</u>							+				
<u>├</u>							+				
						1	1				
ļļ_					Notes:						
					_						
11 CONTRA	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my juri	sdiction ar	nd was compl	eted on (n	no-day-year)	and	l this record	is tru	ie to the best of my	y knowled	ge and belief.	
Kansas Water	r Well Con	tractor's Lice	ense No	This W	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)		
	mess name	Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of §	\$5.00 f	or each constructed we		<u></u>	
	nt of Health a	nd Environment,	Bureau of W	Vater, Geology Section, 1					7. Telephone		
Visit us at http:	://www.kdhe	ks.gov/waterwell	/index.html						KS	SA 82a-1212	