				ER WELL RECORD F	orm WWC-5	KSA 82			
	TION OF WAT		Fraction	and the same	÷	ion Number	i accoration		Range Number
	_SHER			45E 145E		<u> </u>	<u> </u>	S	R 30 KW)
Distance	and direction	et all the second		address of well if located $\mathcal{E}\mathcal{K}\mathcal{K}\mathcal{S}$	within city?				
J 11/47			740,400	V 64					
			IAN BOOGS	<b>3</b> .			م م ر ش		of table and Addition in the control
	. Address, Bo	(#: Kt_1	BOX 574	1 man times appearing				•	Division of Water Resources
	te, ZIP Code	:S&L	DEM, KS	6775/	17.5		Application		
J LOCA	TE WELL'S LO (" IN SECTIO	OCATION WIT V BOX:							
eco.			Depth(s) Groun	CWATER LEVEL DE	Y	المانية المتاسط المانية المتاسطة المتاسطة المتاسطة المتاسطة المتاسطة المتاسطة المتاسطة المتاسطة المتاسطة المتا المتاسطة المتاسطة ال	Karan magailiad an	maldaulus	
Ŷ		1 1	· ·						
	NW	NE		•				•	mping gpm
l	1	1							mping gpm
ž w	1		Bore Hole Diam	neterin. to.			and	in.	to
₹ "		!!!	WELL WATER		Public wate		8 Air conditioning	11	Injection well
1	SW	_ = SF = =	(1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12	Other (Specify below)
		1	2 Irrigation		-	-	10 Observation we		
	0	ı XI	Was a chemical	l/bacteriological sample su	ubmitted to De	partment? Y	'esNo	; If yes,	mo/day/yr sample was sub-
T	White the second second second second		mitted			W	ater Well Disinfecte	d? Yes	No .
5 TYPE	OF BLANK	ASING USED	:	5 Wrought iron	8 Concre	te tile	CASING JO	NTS: Glued	Clamped
(1)	Steel	3 RMP	(SR)	6 Asbestos-Cement	9 Other	specify belo	w)	Weld	ed
Care Care	PVC	4 ABS		7 Fiberglass		· · · · · · · · · · · ·		Threa	aded
Blank ca	sing diameter	5	in to 16						in. to ft.
	•		P 28						0
_			ION MATERIAL:	, worgan	7 PV			estos-ceme	
	Steel	3 Stainle		5 Fiberglass		P (SR)			
	Brass				9 AB			ne used (op	
			nized steel	6 Concrete tile		)		ie useu (op	11 None (open hole)
		RATION OPEN			d wrapped		8 Saw cut		11 None (open noie)
	Continuous slo		Mill slot	6. Wire w	• •		9 Drilled holes		
	ouvered shutt		Key punched	7 Torch		e. por			
SCHEEN	N-PERFORATI	ED INTERVAL							ο
				en in the second se		F4 P**		21 1	
	ODAVEL DA	OK INTERVAL		ft. to					
	GRAVEL PA	CK INTERVAL	S: From	ft.a to		ft., Fro	om	ft. t	o
el ceo			S: From From	ft. to		ft., Fro	om	ft. t	oft. o ft.
-	UT MATERIAL	.: 1 Nea	S: From From	ft. to  generating from the second secon	3 Bento	ft., Fro ft., Fro nite 4	om	, ft. t ft. t	o
Grout In	UT MATERIAL tervals: Fro	.: 1 Nea	S: From From at cement ft. to O.	ft. to  generating from the second secon	3 Bento	ft., Fro ft., Fro nite 4	om om Other	ft. t	o
Grout In What is	UT MATERIAL tervals: Fro the nearest so	.: 1 Nea	From at cement ft. to O. ole contamination:	ft. to  ft. to  2 Cement grout  ft., From	3 Bento	ft., Fro ft., Fro nite 4 to	om Other ft., From stock pens	ft. t	o
Grout In What is	UT MATERIAL tervals: Froi the nearest so Septic tank	.: 1 Neamour 1 N	From at cementft. to	ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bento ft.	ft., Fro ft., Fro nite 4 to 10 Live 11 Fuel	om Other  ft., From stock pens storage	ft. t ft. t	o
Grout In What is 1 5 2 5	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines	.: 1 Neam	From  t cement  ft. to	ft. to  ft. to  tt. to  2 Cement grout  7 Pit privy 8 Sewage lago	3 Bento ft.	ft., Front, Fron	om Other Other Stock pens storage	ft. t ft. t	o
Grout In What is 1 5 2 5	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew	.: 1 Neamour 1 N	From  t cement  ft. to	ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bento ft.	ft., Front, Fron	Other	ft. t ft. t	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	ft., Front, Fronte 4 to 10 Live 11 Fuel 12 Ferti 13 Inse	om Other Other Stock pens storage	14 A 15 C	o
Grout In What is 1 5 2 5	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew	.: 1 Neam	From  t cement  ft. to	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Front, Fron	Other	ft. t ft. t	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fronte 4 to 10 Live 11 Fuel 12 Fert 13 Inse How ma	om Otherft., From stock pens storage lizer storage cticide storage any feet?	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., Fronte 4 to 10 Live 11 Fuel 12 Fert 13 Inse How ma	om Otherft., From stock pens storage lizer storage cticide storage any feet?	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 5 2 5 3 N	UT MATERIAL tervals: From the nearest so Septic tank Sewer lines Watertight sewer from well?	.: 1 Neam	From  t cement  ft. to  le contamination: teral lines ess pool eepage pit	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	nite 4 to	Other	14 A 15 C	o
Grout In What is 1 9 3 N Direction FROM	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew of from well?	the state of the s	S: From From  at cementft. to	ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  C LOG	3 Bento ft.	nite 4 to 10 Live 11 Fuel 12 Fert 13 Inse How ma	Other	14 A 15 C (i) C	oft. o ft.  o ft. ft. toft. bandoned water well bil well/Gas well bther (specify below)  ///////////////////////////////////
Grout In What is 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew n from well? TO	.: 1 Near no	S: From	ft. to  ft. to  ft. to  Comment grout  7 Pit privy 8 Sewage lago 9 Feedyard  CLOG	3 Bento ft.	nite 4 to 10 Live 11 Fuel 12 Fert 13 Inse How me TO	Other	14 A 15 C 6 C LITHOLOG	o
Grout In What is 1 9 2 9 3 N Direction FROM	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew from well? TO  TRACTOR'S o ed on (mo/day	.: 1 Neam	S: From From at cement ft. to Collection contamination: teral lines less pool lepage pit LITHOLOGIC	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  C LOG	3 Bento ft.	tt., From tt., F	Other	14 A 15 C 6 C LITHOLOG	oft. o ft.  o ft. ft. toft. bandoned water well bil well/Gas well bther (specify below)  ///////////////////////////////////
Grout In What is 1 9 2 9 3 N Direction FROM	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew in from well? TO  TRACTOR'S o ed on (mo/day /ell Contractor	DR LANDOWN	S: From From at cement ft. to Collection contamination: teral lines less pool lepage pit LITHOLOGIC	ft. to  ft. to  ft. to  Comment grout  7 Pit privy 8 Sewage lago 9 Feedyard  CLOG	3 Bento ft.	tt., From tt., F	Other	14 A 15 C 6 C LITHOLOG	o
Grout In What is 1 9 2 9 3 N Direction FROM	UT MATERIAL tervals: Froi the nearest so Septic tank Sewer lines Watertight sew from well? TO  TRACTOR'S o d on (mo/day fell Contractor e business na	DR LANDOWN	S: From	ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  C LOG	3 Bento ft. on FROM    IGO	tt., Fronte 4 to	Other	ft. t ft. t 14 A 15 C (6 C LITHOLOG	der my jurisdiction and was lowledge and belief. Kansas

records.