

1] LOCATION OF WATER WELL:		Fraction		Township Number		Range Number					
County: Thomas		SW 1/4 NW 1/4 SE 1/4		2		T 7 S R 31 E					
Distance and direction from nearest town or city street address of well if located within city?											
W. South Street											
2] WATER WELL OWNER: Ron Dible											
RR#, St. Address, Box #: Rt 1 Box 111											
City, State, ZIP Code: Refford, KS 67753											
Board of Agriculture, Division of Water Resources											
Application Number:											
3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:											
N		E		S		W					
1 Mile		1 Mile		1 Mile		1 Mile					
NW		NE		SW		SE					
X											
4] DEPTH OF COMPLETED WELL: 10.1 ft. ELEVATION:											
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.											
WELL'S STATIC WATER LEVEL: Dry ft. below land surface measured on mo/day/yr											
Pump test data: Well water was ft. after hours pumping gpm											
Est. Yield gpm: Well water was ft. after hours pumping gpm											
Bore Hole Diameter: in. to ft. and in. to ft.											
WELL WATER TO BE USED AS:											
5 Public water supply 8 Air conditioning 11 Injection well											
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well											
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes No											
5] TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded											
Blank casing diameter 5 in. to 10.1 ft. Dia in. to ft. Dia in. to ft.											
Casing height above land surface 10 in. weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)											
12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 7 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.											
6] GROUT MATERIAL:											
1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout intervals: From 6 ft. to 2 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? NW How many feet? 80'											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
				RECEIVED						Removed rod & 4' casing	
				JUN 12 1989		10.1		6		Clay-sand mix	
				D.W. K. GROUNDWATER		6		2		Bentonite	
				MANAGEMENT-DISTRICT No. 4		2		0		Top Soil	
				1175 S. Range • P.O. Box 905							
				Colby, Kansas 67701							
7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-6-89 and this record is true to the best of my knowledge and belief. Kansas											
Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 6-7-89											
under the business name of by (signature) Jim Simpson											