

LOCATION OF WATER WELL: T H		Fraction 1/4 1/4 SE 1/4		Section Number 2		Township Number T 7 S		Range Number R 31 E/W	
Distance and direction from nearest town or city street address of well if located within city? 105 School St in Oxford									
WATER WELL OWNER: William Craswell									
RR#, St. Address, Box #: R# 1 Box 16						Board of Agriculture, Division of Water Resources			
City, State, ZIP Code: Oxford MS 38675						Application Number:			
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 95 ft. ELEVATION:					
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
				WELL'S STATIC WATER LEVEL: dng ft. below land surface measured on mo/day/yr					
				Pump test data: Well water was ft. after hours pumping gpm					
				Est. Yield gpm: Well water was ft. after hours pumping gpm					
Bore Hole Diameter: in. to ft. and in. to ft.				WELL WATER TO BE USED AS:					
				5 Public water supply 8 Air conditioning 11 Injection well					
				1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
				2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
3 Fiberglass Threaded									
Blank casing diameter: 5 in. to 9.5 ft., Dia. 4 in. to 9.0 ft., Dia. in. to ft.									
Casing height above land surface: in., weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
removed 10 ft 5 in casing									
removed 90 ft 4 in									
liner & screen									
sand & clay									
hole plug chips									
clay									
APR 30 1990									
DIVISION OF ENVIRONMENT									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 4-16-90									
under the business name of by (signature) Keith Beams GMD 4									