

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Thomas		NE ¼ SW ¼ NW ¼	8	T 7 S	R 31 W EW
Distance and direction from nearest town or city street address of well if located within city?					
N/A - LOCATION CONFIRMED BY GMD #4					
2 WATER WELL OWNER: Leslie F. Dible Etal			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: PO Box 164			Application Number:		
City, State, ZIP Code: Rexford, KS 67753					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. NA ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 79 ft. below land surface measured on mo/day/yr 8-17-89			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter .in. to .ft., and .in. to .ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well <input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped	
<input checked="" type="checkbox"/> Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below)		Welded	
2 PVC 4 ABS		7 Fiberglass		Threaded	
Blank casing diameter .5 in. to .ft., Dia .in. to .ft., Dia .in. to .ft.					
Casing height above land surface .8 in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From .ft. to .ft., From .ft. to .ft., From .ft. to .ft.					
GRAVEL PACK INTERVALS: From .ft. to .ft., From .ft. to .ft., From .ft. to .ft.					
6 GROUT MATERIAL: 1 Neat cement ② Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 6 ft., From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			80	70	Sand
	ENTER		70	6	Clay
			6	0	Cement
		PLUGGING			Covered and pushed dirt up around entire site to keep tank drainage away from wells.
		INFORMATION			
		AT			
		DIVISION OF ENVIRONMENT			
		RIGHT			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or ③ plugged under my jurisdiction and was completed on (mo/day/year) 8-17-89 and this record is true to the best of my knowledge and belief. Kansas Water Contractor's License No. This Water Well Record was completed on (mo/day/yr) 8-17-89 under the business name of by (signature) Leslie Dible					