

1 LOCATION OF WATER WELL: County: Thomas		Fraction SW 1/4 NW 1/4 NW 1/4	Section Number 20	Township Number T 7 S	Range Number R 31 W E/W
Distance and direction from nearest town or city street address of well if located within city? N/A - LOCATION CONFIRMED BY GMD #4					
2 WATER WELL OWNER: Maxine A. Neville RR#, St. Address, Box # : 1015 Wheatridge City, State, ZIP Code : Colby, KS 67701 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div><div>1 Mile</div><div><div>W</div><div><div><div><div>X</div><div></div><div></div><div></div></div><div><div>NW</div><div>NE</div></div><div><div></div><div></div><div></div><div></div></div><div><div>SW</div><div>SE</div></div><div><div></div><div></div><div></div><div></div></div></div><div>S</div><div>E</div></div></div></div>		4 DEPTH OF COMPLETED WELL: N/A ft. ELEVATION: DRY Depth(s) Groundwater Encountered: 0 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 0 ft. below land surface measured on mo/day/yr Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm Est. Yield: 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm Bore Hole Diameter: 0 in. to 0 ft., and 0 in. to 0 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well X Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED: X Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter: 5 in. to 0 ft., Dia. 0 in. to 0 ft., Dia. 0 in. to 0 ft. Casing height above land surface: 8 in., weight 0 lbs./ft. Wall thickness or gauge No. 0 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 0 SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From 0 ft. to 0 ft., From 0 ft. to 0 ft. GRAVEL PACK INTERVALS: From 0 ft. to 0 ft., From 0 ft. to 0 ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) NONE Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS ENTER PLUGGING INFORMATION AT RIGHT FILL WITH DIRT TO WITHIN 6'. HOLE PLUG TO WITHIN 3'. BACKFILL HOLE					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-19-1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 4-20-89 under the business name of Maxine Neville by (signature)					