		WATER	R WELL RECORD	Form WWC-	5 KSA 8	2a-1212			
LOCATION OF WAT	TER WELL:	Fraction			ction Number		lumber	Range Number	
County: Thoma	s	C 1/4	1/4	NW 1/4	33	т 7	S	R 31 E/W)	
Distance and direction	from nearest town of	or city street ad	Idress of well if loca	ited within city?	The second secon		<u>-</u>		
19 miles	_west_& 3_1	north of	Hoxie, Ks	5.					
WATER WELL ON	^{(NER:} Doug To	odd							
RR#, St. Address, Bo						Board of A	Agriculture,	Division of Water Resources	
City, State, ZIP Code : Rexford, Ks. 67753					Application Number:				
LOCATE WELL'S L AN "X" IN SECTION	OCATION WITH 4 BOX:	DEPTH OF CO	OMPLETED WELL.	193	ft. ELE\	/ATION:			
a larence de la company de								3	
	I WE								
	NE							ımping gpm	
	Es	t. Yield	gpm: Well wa	ater was	ft.	after	. hours pu	ımping gpm	
6 A MATERIAL	l l Bo	re Hole Diamet	tergin. t	to] 9.3		, and	<i>.</i> in	ı. to	
ž V			TO BE USED AS: 5 Public water so			7			
au one SW aze aze	cr l	1 Domestic	stic 3 Feedlot 6 Oil field wat			supply 9 Dewatering 12 Other (Specify below)			
in the DAA environ		2 Trrigation	. 4 Industrial			_			
	Wa	as a chemical/b	acteriological sampl					, mo/day/yr sample was sub-	
Santaniananan energia energia en	Commence de la commen	tted				later Well Disinfect		No x	
TYPE OF BLANK O	annual market to the second se		5 Wrought iron	8 Concr				dX Clamped	
1 Steel	3 RMP (SR)							led	
2 PVC	4 ABS								
	PVC 4 ABS 7 Fiberglass Threaded casing diameter 4 . 5 in. to 1.73 ft., Dia in. to ft., Dia in. to ft., Dia .							aded	
VOE OF CODERN OF	no sunace,	. 1.8	in., weight 2					lo <u>.</u> .24.8	
	OF SCREEN OR PERFORATION MATERIAL:				<u>'C</u>		bestos-ceme		
1 Steel	3 Stainless steel 5 Fiberglass)	
2 Brass	4 Galvanized		6 Concrete tile	9 ABS 12 None used (ope			oen hole)		
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutt									
SCREEN-PERFORATE	ED INTERVALS:	From	17.3 ft. to	19	9.3ft., Fi	om	ft. t	to	
		From	ft. to		ft., Fi	rom	ft. t	toft.	
GRAVEL PAG	CK INTERVALS:	From	20 ft. to	19	9.3ft., Fi	om	ft. t	toft.	
· d.		From				rom			
GROUT MATERIAL	: 1 Neat cem	ent 2	Cement grout	3 Bento	onite				
								ft. to	
Vhat is the nearest so	, , , , , , , , , , , , , , , , , , , ,			10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines						11 Fuel stores 15 70 330 500			
2 Sewer lines									
	5 Cess poo er lines 6 Seepage		9 Feedyard	190011					
Direction from well?	· -	, par	3 Teedyald			•	F.O.		
FROM TO	NE I	LITHOLOGIC L	OG	FROM	TO	any feet?	50 Lugging i	INTERVALS	
							Logalita	INTERVALO	
0 3	Surface			147	152	Clay			
3 18	Clay			152	172	Med. sand			
18 23	Fine ceme	ented sa	nd	172	175	Caliche &		(
<u> 23 85 </u>	Clay			175	192	Med. sand			
<u> 85 102 </u>	Sanā & sa	andstone	streaks	192	193	Ochre & s	shale		
102 112	Med. sand				<u> </u>				
	Sand & ca		treaks						
119 121	Caliche								
121 123	Med. sand	-	The first Westernamen and officer						
123 134	Hardsand			}					
134 136	Med. sand	d		~					
136 145	Med.								
145 147	Loose san								
T-17 T4/	noose san	***	***************************************				******************************	N COLUMN TO THE RESIDENCE OF THE PARTY OF TH	
CONTRACTORS	DR LANDOWNIEDS	CEDTICIOATIO	MI. This water "	wpo /d\ ====	Lated (C)	A construction (C)		dan and trute Profession	
omploted on (malder)	NU CANDOMNER 2	JENTIFICATIC - 9 N	n: mis water well	was (1) constru	ictea, (2) re	constructed, or (3)	plugged und	der my jurisdiction and was nowledge and belief. Kansas	
Votor Well Cast and	year)	- スク		and a second second	and this re	cord is true to the b	est of my kn	nowledge and belief. Kansas	
Vater Well Contractor's				Well Record wa					
nder the business nar		ER PUMP				nature) Walk			
INDEPOLICATIONS, Use A	mouritor or hall point non	PLEASE DRESS EL	IDMIV: and DDIMT algority	Dioggo fill in blanks	underline er ei	rele the correct answers	Send ton three	copies to Kansas Department	