USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

Job #402-78-E¹2-36-7-31 Well #1110B

1. Location of well:	County	Fraction		Section number		Township number Range number			
	Thomas	NW 1/4 SE 1/4 NE	1/4	3	6	т 7 ѕ	R 31	XeXw	
1				3. Owner of well: Larry Von Feldt R.R. or street:					
Street address of well location if in city: 1/4 W				ate, zip	code:	Colby, KS 67701			
4. Locate with "X" in section below: N						6. Bore hole dia. 30 in. Completion date 4-2-78 Well depth 262 ft.			
NW	NE					7 Cable tool Rotary Hollow rod Jetted	Driven Dug Bored X Revers		
E					8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other				
						9. Casing: Material Stee Height: Above or XXXX Threaded Welded XX _ Surface in. RMP PVC Weight 188 lbs./ft.			
1≪1 Mile					T	Dia. 16 in. to 72 ft. depth Wall Thickness: inches or Dia in. to ft. depth gage No. #7			
5. Type and color of material				From	То	10. Screen: Manufacturer's name			
Top Soil				0	140	Type Regular Dia. 16"			
Fine Sand, Clay				140	144	Slot/gauze			
Fine Sand				144	155	10 Cook ft. and 262 ft. Gravel pack? X Size range of material 4 x 5/8			
Clay				155	162	11. Static water level: mo./day/yr. 135 ft. below land surface Date 4-3-78			
Fine Sand				162	165	12. Pumping level below land surfaces: 250 ft. after 2 hrs. pumping 1715 g.p.m.			
Fine Sand, Clay				165	185	ft. after hrs. pumping g.p.m. Estimated maximum yield 171.5 g.p.m.			
Fine Sand				185	195	13. Water sample submitted: mo./day/yrYesXNoDate			
Med. Sand, Gravel				195	240	14. Well head completion: Pitless adapter 12 Inches above grade			
Fine Sand, Gravel, Clay Streaks				240	262	15. Well grouted? X			
Yellow Clay				262	in the same of	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
BROCK 242					No. of the latest the	16. Nearest source of possible contamination: ft. 4000 Direction E Type Farmstead			
						Well disinfected upon completion? YesX No 17. Pump: Not installed Manufacturer's nameF1_oway Model number _85478			
					A SECURITION OF THE SECOND SECOND				
(Use a second sheet if needed)						Jet Reciprocating Centrifugal Other 0			
18. Elevation: 19. Remarks:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Topography: Hill						Western Well & Pump 245			
Slope X Upland Valley							olby, KS 6	7701 = 10 104/78	
MATERIAL PROPERTY						Promotized Tep			